GARDEN AND FOREST

A JOURNAL OF

HORTICULTURE, LANDSCAPE ART AND FORESTRY

Conducted by

CHARLES S. SARGENT

Director of the Arnold Arboretum, Professor of Arboriculture in Harvard College, etc.

ILLUSTRATED

VOLUME I. FEBRUARY TO DECEMBER, 1888

New York

THE GARDEN AND FOREST PUBLISHING CO.

1888

42942

Copyright, 1888, by The Garden and Forest Publishing Co.

All rights reserved.

INDEX TO VOLUME I.

ject is illustrated.	Andromeda Horibunda 115, 154 — Japonica 129	Asphodelus acaulis	vulgaris189, 236, 416, 44
•	—— ligustrina182, 261	Aspidium acrostichoides 353	Bertolonia marmorata 6
Abies amabilis 10	—— Mariana182, 237, 454	——— aculeatum 353	Betula papyrifera 5
——— Apollinis		—— Boottii	Bidens chrysanthemoides 43 Bigelovia pulchella 52
—— Cilicica120	Androsæmum hircinum 333	Filix-mas	Bignonia Tweedieana
— Nordmanniana 120	Anemone Japonica462, 464		Biota Sieboldi
pectinata 120	nemorosa 153	—— Goldianum 352	Birch, the 5
Pinsapo 494	—— Pulsatilla 153	Lonchitis 353	Birds and strawberries
subalpina		—— marginale	Blackberries
Abutilon Sinense120	Angræcum, new variety of 16		Blood-root, the45, 14
Acacia constricta 524	—— caudatum 428	Noveboracense	Blueberry, the 18
decurrens 35	densum 248	—— spinulosum 353	Blue-flag, the
pubescens 82	—— distichum 428	—— thelypteris 342 Asplenium angustifolium 341	Blunders concerning plants 21
Acalypha triumphans		Asplenium angustifolium 341	Bollea Wendlandiana 31
Acer dasycarpum 466			Borer, work of a 17 Boronia heterophylla 8
— Ginnala212, 453	———Sanderianum 503		
—— Japonicum 453	Scottianum	thelypteroides 341	Rossier 40
—— pictum 312	Anguloa Clowesii 209	—— Trichomanes 341	Boston public garden 34 ——harbor, tree planting on 2 Botanic garden for N. Y. City 51
lætum 312	eburnea 209	viride 341	
—— Colchicum rubrum 312 —— polymorphum312, 453	—— intermedia 209 —— Ruckeri209, 315	Aster alpinus	Botany, study of, by horticulturists. 6
Tartaricum212, 453	uniflora 308	concolor	Botrychium Virginianum 35
Achras Bahamensis 527	Anisacanthus insignis 524	——— Ibericus 499	Bowman's root 22
—— Sapota 527	Annuals for cut flowers	—— Novæ Angliæ 462	Brasenia peltata24
Acidanthera bicolor*	——— for a succession of flowers 186		Brickellia laciniata
Actinidia polygama	Anthurium Andreanum	Asters, China356, 380	in the Thiercarten Berlin* 22
Actiniopteris radiata 9	—— Desmetianum 245	native, as garden plants 428	in the Thiergarten, Berlin* 32 Brodiæa Bridgesii* 12
Adansonia Gregorii204	——— Scherzerianum 245	Atlanta, park at 36	—— Howellii 12
Adelaide, botanical garden in 480	Antirrhinum Nuttallianum 347	forestry congress at 515	—— uniflora 2
Adelges abieticolens 100	Ants, destruction of 443	Attar of roses 504	Broom
abietis 100 Adiantum cuneatum404, 522, 523	Appeal for pretty plants, an 524 Apples, autumn377, 521	Aubretia deltoides	Brussels sprouts51 Buck-eye, the red22
decorum	—— early 331	Autumn effect, planting for 410	Buddleia 207 F2
Farleyense9, 404, 474, 523	Japanese*	—— flowers 499	Buffalo, project for public park in*. 45
Edgeworthi 474	—— summer 485	work among trees 421	Buitenzorg, water lilies in the gar-
gracilis 474	winter 400	Axe, do not spare the 433	den at* 24
gracillimum 522	Apricots, varieties of	Azalea altaclerensis36, 89, 479	Bulbs, Dutch
Pecottii	Aquilegia Canadensis 114, 150, 199 ———————————————————————————————————	Indica 107 occidentalis 201	—— hints about
D	cœrulea		D O-1-
—— Keginæ 4			Burr Oak 38
—— Reginæ	—— formosa	—— viscosa	Buttôn-bush 290, 31
—— Victoriæ	——— formosa	Azaleas, forcing	Button-bush
	—— formosa	Azaleas, forcing	Button-bush
		Azaleas, forcing	Buttôn-bush
— Victoriae. 404 — Weigandli. 404, 522 — Williamsi. 404 Adinotinus Sinensis. 120 Adirondack forests, the. 49, 73, 87	— formosa 114 — glandulosa 199 — longissima* 31,90,41 — vulgaris 114 Aquilegias, hybrid 114	Azaleas, forcing	Buttôn-bush
— Victoriae	— formosa	Azaleas, forcing	Buttón-bush
— Victorize	— formosa	Azaleas, forcing	Buttón-bush
— Victoriae	— formosa	Azaleas, forcing	Buttôn-bush
— Victorize 404 — Weigandli 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quınquevulnerum 428 Rohannianum 498 Williamsi 208 Æsculus rubicunda 220	— formosa 114 — glandulosa 199 — longissima* 31,90, 141 — vulgaris 114 Aquilegias, hybrid 114 Aralia Cashimerica 320 — hispida 286 — Maximowiczii 256 — spinosa 415 Araucaria imbricata 101	Azaleas, forcing	Buttón-bush
— Victorize	— formosa	Azaleas, forcing	Buttón-bush
— Victorize 404 — Weigandli 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quınquevulnerum 428 — Rohannianum 498 — Williamsi 208 Æsculus rubicunda 220 — turbinata 491 Æthionema coridifolium 237	— formosa 114 — glandulosa 199 — longissima* 31, 90, 141 — vulgaris 114 Aquilegias, hybrid 114 Aralia Cashimerica 320 — hispida 286 — Maximowiczii 256 — spinosa 415 Araucarla imbricata 101 — Cunninghami glauca 276 Arauia graveolens 467	Azaleas, forcing	Buttón-bush
— Victorize 404 — Weigandii 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quınquevulnerum 428 — Rohannianum 498 — Williamsi 280 Æsculus rubicunda 220 ½ turbinata 491 Æthionema coridifolium 237 Afghanistan, new plants from 6 Agave Elemeetiana 491	— formosa	Azaleas, forcing	Buttôn-bush
— Victoriae 404 — Weigandli 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quınquevulnerum 428 — Rohannianum 498 Williamsi 220 turbinata 491 Æsculus rubicunda 237 Æthionema coridifolium 237 Afghanistan, new plants from 6 Agave Elemectiana 491 Agricultural literature 157	— formosa	Azaleas, forcing	Buttón-bush
— Victorize	— formosa	Azaleas, forcing	Buttón-bush
— Victoriae 404 — Weigandli 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quınquevulnerum 428 — Rohannianum 498 — Williamsi 200 turbinata 491 Æsculus rubicunda 220 ±trhionema coridifolium 237 Afghanistan, new plants from 6 Agave Elemeetiana 491 Agricultural literature 157 Allanthus 179, 239, 385, 504 Akebia quinata 42, 441	— formosa	Azaleas, forcing	Buttón-bush
— Victorize	— formosa	Azaleas, forcing	Buttón-bush
— Victorize 404 — Weigandli 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quınquevulnerum 498 — Rohannianum 498 — Williamsi 208 Æsculus rubicunda 220 — turbinata 491 Æthionema coridifolium 237 Afghanistan, new plants from 6 Agave Elemeetiana 491 Agricultural literature 157 Allanthus 179, 239, 385, 50 Akebia quinata 42,441 Alder, Black 182, 261, 453 Alfalfa 497 Algæ on animals 90	— formosa	Azaleas, forcing	Buttón-bush
— Victorize	—— formosa	Azaleas, forcing	Buttón-bush
— Victoriae 404 — Weigandli 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quınquevulnerum 428 — Rohannianum 498 Williamsi 280 Æsculus rubicunda 220 turbinata 491 Æthionema coridifolium 237 Afghanistan, new plants from 6 Agave Elemeetiana 491 Agricultural literature 157 Allanthus 179, 239, 385, 500 Akebia quinata 42, 441 Alder, Black 182, 261, 453 Alfalfa 407 Alge on animals 99 Allambra, Gardens of the 255 Allium cœruleum 225	— formosa	Azaleas, forcing	Buttón-bush
— Victorize 404 — Weigandli 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides qunquevulnerum 428 — Rohannianum 498 — Williamsi 220 — turbinata 491 Æsculus rubicunda 220 — turbinata 491 Æthionema coridifolium 237 Afghanistan, new plants from 6 Aggreultural literature 157 Allanthus 179, 239, 385, 500 Akebia quinata 42, 441 Alder, Black 182, 201, 453 Alfalfa 49 Algæ on animals 99 Alhambra, Gardens of the 255 Allium cœruleum 225 — Moly 225	—— formosa	Azaleas, forcing	Buttón-bush
— Victorize 404 — Weigandli 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærdies quınquevulnerum 428 — Rohannianum 498 — Williamsi 220 turbinata 491 Æsculus rubicunda 220 £thionema coridifolium 237 Afghanistan, new plants from 6 Agave Elemeetiana 491 Agricultural literature 157 Alkebia quinata 42, 441 Alder, Black 182, 261, 453 Alfalfa 407 Algæ on animals 99 Alhambra, Gardens of the 255 Allium cœruleum 225 — Moly 225 Neapolitanum 41	—— formosa	Azaleas, forcing	Buttón-bush
— Victorize 404 — Weigandii 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 24 Ærides quinquevulnerum 428 — Rohannianum 498 — Williamsi 208 Æsculus rubicunda 220 — turbinata 491 Æthionema coridifolium 237 Ætghanistan, new plants from 6 Agave Elemeetiana 491 Agricultural literature 157 Allanthus 179, 239, 385, 500 Akebia quinata 42, 441 Alder, Black 182, 261, 453 Alfalfa 407 Algeon animals 99 Alkambra, Gardens of the 255 Allium cœruleum 225 — Moly 225 — Neapolitanum 41 — Pedemontanum 304 Suwrowi 227	—— formosa	Azaleas, forcing 56	Buttón-bush
— Victoriae 404 — Weigandli 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quınquevulnerum 428 Ærides quınquevulnerum 498 Williamsi 200 turbinata 491 Æsculus rubicunda 220 turbinata 491 Æthionema coridifolium 237 Afghanistan, new plants from 6 Agave Elemeetiana 491 Akebia quinata 179, 239, 385, 500 Akebia quinata 42, 441 Alder, Black 182, 261, 453 Alfalfa 47 Alge on animals 99 Alliambra, Gardens of the 255 Moly 225 — Neapolitanum 41 — Pedemontanum 304 Suworowi 227 Alnus rubra 59	—— formosa	Azaleas, forcing 56	Buttón-bush
— Victorize 404 — Weigandli 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quinquevulnerum 428 — Rohannianum 498 — Williamsi 208 Æsculus rubicunda 220 — turbinata 491 Æthionema coridifolium 237 Afghanistan, new plants from 6 Agricultural literature 157 Allanthus 179, 239, 385, 500 Akebia quinata 42, 441 Alder, Black 182, 201, 453 Alfalfa 49 Alpæ on animals 99 Alhambra, Gardens of the 255 Allium cœruleum 225 — Neapolitanum 41 — Pedemontanum 304 — Suworowi 227 Alnus rubra 59 serrulata 494	—— formosa	Azaleas, forcing 56	Buttôn-bush
— Victorize 404 — Weigandli 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærdies quınquevulnerum 428 — Rohannianum 498 — Williamsi 200 turbinata 491 Æsculus rubicunda 220 turbinata 491 Afghanistan, new plants from 6 Agave Elemeetiana 491 Agricultural literature 157 Alkebia quinata 42, 41 Alder, Black 182, 261, 453 Alfalfa 407 Algæ on animals 99 Alhambra, Gardens of the 255 Allium cœruleum 225 — Moly 225 — Neapolitanum 41 — Pedemontanum 304 — Suworowi 227 Alnus rubra 59 — serrulata 494 Aloe Hilderbrandtii 60 <td>—— formosa</td> <td> Azaleas, forcing 56 </td> <td>Buttôn-bush</td>	—— formosa	Azaleas, forcing 56	Buttôn-bush
— Victorize 404 — Weigandii 404 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quınquevulnerum 428 428 — Rohannianum 498 491 Æsculus rubicunda 220 401 ±urbinata 491 491 Æthionema coridifolium 237 Afghanistan, new plants from 6 Agave Elemeetiana 491 491 Agricultural literature 157 Allanthus 179, 239, 385, 500 Akebia quinata 179, 239, 385, 500 385, 500 385, 500 Akebia quinata 179, 239, 385, 500 385, 500 385, 500 Allanthus 179, 239, 385, 500 385, 500 385, 500 Aller, Black 182, 261, 453 341 414 Alder, Black 182, 261, 453 341 414 Alder, Black 182, 261, 453 341 341 Alige on animals 99 <td< td=""><td>—— formosa</td><td>Azaleas, forcing 56</td><td>Buttôn-bush</td></td<>	—— formosa	Azaleas, forcing 56	Buttôn-bush
— Victoriae 404 — Weigandii 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quınquevulnerum 428 — Rohannianum 498 — Williamsi 220 turbinata 491 Æbsculus rubicunda 220 turbinata 491 Æthionema coridifolium 237 Afghanistan, new plants from 6 Agave Elemeetiana 491 Akebia quinata 179, 239, 385, 500 Akebia quinata 42, 441 Alder, Black 182, 261, 453 Alfalfa 47 Algeo on animals 99 Allium coeruleum 225 — Moly 225 — Moly 225 — Neapolitanum 41 — Pedemontanum 304 Suworowi 227 Aloe Hilderbrandtii 60 Aloe Hilderbrandtii <t< td=""><td>—— formosa</td><td> Azaleas, forcing</td><td>Buttón-bush</td></t<>	—— formosa	Azaleas, forcing	Buttón-bush
— Victorize 404 — Weigandii 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quinquevulnerum 428 — Rohannianum 498 — Williamsi 208 Æsculus rubicunda 220 — turbinata 491 Æthionema coridifolium 237 Afghanistan, new plants from 6 Agave Elemeetiana 491 Agricultural literature 157 Allanthus 179, 239, 385, 500 Akebia quinata 42, 441 Alder, Black 182, 261, 453 Alfalfa 49 Algæ on animals 99 Alhambra, Gardens of the 255 Allium cœruleum 225 — Moly 225 — Neapolitanum 41 — Pedemontanum 304 — Suworowi 227 Alnus rubra 59 — serrulata <td>—— formosa</td> <td> Azaleas, forcing</td> <td>Buttón-bush</td>	—— formosa	Azaleas, forcing	Buttón-bush
— Victoriae 404 — Weigandli 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quınquevulnerum 428 Ærides quınquevulnerum 498 Williamsi 200 turbinata 491 Æsculus rubicunda 220 turbinata 491 Æsculus rubicunda 220 turbinata 491 Agave Elemeetiana 491 Agricultural literature 157 Allanthus 179, 239, 385, 500 Akebia quinata 42, 441 Alder, Black 182, 261, 453 Alfalfa 407 Alge on animals 99 Alhambra, Gardens of the 255 Allium cœruleum 225 Moly 225 Neapolitanum 41 — Pedemontanum 304 Suworowi 227 Alnoe Hilderbrandtii	— formosa	Azaleas, forcing 56	Buttón-bush
— Victorize 404 — Weigandii 404 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quınquevulnerum 428 — Rohannianum 498 — Williamsi 208 Æsculus rubicunda 220 — turbinata 491 Æthionema coridifolium 237 Afghanistan, new plants from 6 Agave Elemeetiana 491 Agricultural literature 157 Allanthus 179, 239, 385, 500 Akebia quinata 42, 441 Alder, Black 182, 261, 453 Alfalfa 407 Alge on animals 99 Alhambra, Gardens of the 255 Allium coeruleum 225 — Moly 225 — Neapolitanum 41 — Pedemontanum 304 — Suworowi 227 Alnus rubra 59 — serrulata	—— formosa	Azaleas, forcing	Buttón-bush
— Victorize 404 — Weigandii 404 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quınquevulnerum 428 428 Ærides quınquevulnerum 498 — Rohannianum 498 Williamsi 200 turbinata 491 Æbsculus rubicunda 220 turbinata 491 Æbidiuma cordiffolium 237 Afghanistan, new plants from 6 Agricultural literature 157 Allanthus 179, 239, 385, 500 Akebia quinata 42, 441 Alder, Black 182, 261, 453 Alfalfa 49 Alloer, Black 182, 261, 453 Alfalfa 49 Allium coeruleum 255 Allium coeruleum 255 Allium coeruleum 25 — Moly 225 — Neapolitanum 41 — Pedemontanum <td>—— formosa</td> <td> Baccharis angustifolia 524 </td> <td>Buttón-bush</td>	—— formosa	Baccharis angustifolia 524	Buttón-bush
— Victorize 404 — Weigandii 404 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quınquevulnerum 428 428 Ærides quınquevulnerum 498 — Rohannianum 498 Williamsi 200 turbinata 491 Æbsculus rubicunda 220 turbinata 491 Æbidiuma cordiffolium 237 Afghanistan, new plants from 6 Agricultural literature 157 Allanthus 179, 239, 385, 500 Akebia quinata 42, 441 Alder, Black 182, 261, 453 Alfalfa 49 Alloer, Black 182, 261, 453 Alfalfa 49 Allium coeruleum 255 Allium coeruleum 255 Allium coeruleum 25 — Moly 225 — Neapolitanum 41 — Pedemontanum <td>— formosa</td> <td> Azaleas, forcing 56 </td> <td>Buttón-bush</td>	— formosa	Azaleas, forcing 56	Buttón-bush
— Victoriae 404 — Weigandli 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quinquevulnerum 428 Ærides quinquevulnerum 498 Williamsi 200 turbinata 491 Æsculus rubicunda 220 turbinata 491 Æthionema coridifolium 237 Afghanistan, new plants from 6 Agave Elemeetiana 491 Agricultural literature 157 Allanthus 179, 239, 385, 500 Akebia quinata 42, 441 Alder, Black 182, 261, 453 Alfalfa 407 Algæ on animals 99 Alhambra, Gardens of the 255 Allium cœruleum 225 — Moly 225 — Neapolitanum 41 — Pedemontanum 304 Suworoul 227 Aloe Hilderb	—— formosa	Azaleas, forcing 56	Buttón-bush
— Victoriae 404 — Weigandli 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quinquevulnerum 428 Ærides quinquevulnerum 498 Williamsi 200 turbinata 491 Æsculus rubicunda 220 turbinata 491 Æthionema coridifolium 237 Afghanistan, new plants from 6 Agave Elemeetiana 491 Agricultural literature 157 Allanthus 179, 239, 385, 500 Akebia quinata 42, 441 Alder, Black 182, 261, 453 Alfalfa 407 Algæ on animals 99 Alhambra, Gardens of the 255 Allium cœruleum 225 — Moly 225 — Neapolitanum 41 — Pedemontanum 304 Suworoul 227 Aloe Hilderb	—— formosa	Azaleas, forcing	Buttón-bush
— Victorize 404 — Weigandli 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quinquevulnerum 428 — Rohannianum 498 — Williamsi 220 turbinata 491 Æsculus rubicunda 220 turbinata 491 Afghanistan, new plants from 6 Agave Elemeetiana 491 Agricultural literature 157 Alianthus 179, 239, 385, 500 Akebia quinata 42, 41 Alder, Black 182, 261, 453 Alfalfa 407 Algæ on animals 99 Alhambra, Gardens of the 255 Allium cœruleum 225 — Moly 225 — Neapolitanum 41 — Pedemontanum 304 — Suworowi 227 Alnus rubra 59 — serrulata 4	—— formosa	Azaleas, forcing	Buttón-bush
— Victorize 404 — Weigandii 404 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quınquevulnerum 428 428 Ærides quınquevulnerum 498 — Rohannianum 498 Williamsi 208 Æsculus rubicunda 220 turbinata 491 Æthionema coridifolium 237 Afghanistan, new plants from 6 Agricultural literature 157 Allanthus 179, 239, 385, 500 Akebia quinata 42, 441 Alder, Black 182, 261, 453 Alfalfa 407 Alge on animals 99 Allambra, Gardens of the 255 Allium cceruleum 225 — Moly 225 — Moly 225 — Neapolitanum 41 — Pedemontanum 304 Suworowi 227 Alpenia officinarum	—— formosa	Azaleas, forcing	Buttón-bush
— Victorize 404 — Weigandli 404, 522 — Williamsi 404 Adinotinus Sinensis 120 Adirondack forests, the 49, 73, 87 Adolphia infesta 524 Ærides quinquevulnerum 428 — Rohannianum 498 — Williamsi 220 turbinata 491 Æsculus rubicunda 220 turbinata 491 Afghanistan, new plants from 6 Agave Elemeetiana 491 Agricultural literature 157 Alianthus 179, 239, 385, 500 Akebia quinata 42, 41 Alder, Black 182, 261, 453 Alfalfa 407 Algæ on animals 99 Alhambra, Gardens of the 255 Allium cœruleum 225 — Moly 225 — Neapolitanum 41 — Pedemontanum 304 — Suworowi 227 Alnus rubra 59 — serrulata 4	—— formosa	Azaleas, forcing	Buttón-bush

iv Index.

Carpenteria Californica 292	Clematis coccinea 297, 371, 441	Cypripedium Godefroyæ208, 211	Epidendrum radicans 20
Carya porcina	Clematis crispa 344	insigne467, 479, 511	Epigœa repens
tomentosa 190, 500	—— Davidiana 300	Lawrenceanum 211	Eremurus Olgæ38
Caryopteris mastacanthus 20	—— Flammula 357	Leeanum maculatum 4	Erica cornea12
Caryota sobolifera 108	—— graveolens 297	Marshallianum 485	—— tetralix 26
Cassandra calyculata 154	—— integrifolia 297	—— montanum 138	Erigeron speciosum
Cassia Coquimbensis	orientalis 297	—— Morganiæ 340	Eriobotrya Japonica
Coatilles election 524	Pieroti	—— Mossiæ 211	Eriostemon intermedium 5
Castilloa elastica	—— Pitcheri 344	niveum 211	Eryngiums, varieties of 20
	verticillaris 189	—— Parishii 248	Erythronium grandiflorum177, 22
Kæmpferı 500	Virginiana 344	—— parviflorum138, 200, 235	— Hendersoni*264, 316, 36 Eschscholtzia Californica37
speciosa372, 500 Catasetum Bungerothii275, 316	Cleome pungens435	—— pubescens138, 151, 188, 235	Eschscholtzia Californica 37
Catasetum Bungerotim275, 310	Clerodendron Thompsonæ 487	—— Rothschildianum 484	Eucalyptus calophylla 407
Cat-tails	Clethra acuminata	Sanderianum 484	globulus 8
Powringiana	alnifolia	Schroderæ 247	uinigera 168
—— Bowringiana308, 428, 484	Climate of Minnesota	spectabile151, 225, 235	Viminalis 50
—— chrysotoxa 495	on the Prairies	Spicerianum479, 513	Eucharis Amazonica 51
—— Dowiana 475	Clintonia borealis 200	—— Stonei 294	Eulalia Japonica
Exoniensis 413	Club-moss 519	Cyrtanthus lutescens 519	Euonymus alatus 212, 45
—— Gaskelliana271, 520	Cobœa scandens 473	Mackenii 519	atropurpureus 273, 45
Gigas*281, 436, 475	Cocoanuts in Florida422	Cyrtopodium Saintlegerianum89, 371	—— Europæus 45
granulosa asperata 340	Coelogyne corrugata 344	Cystopteris bulbifera 353	European forests 274, 430, 45
—— Harrisii	cristata 68, 124		Euryale ferox
hybrida picta	——Dayana 271	Cytisus albus 213	Evergreens, effect of winter on 11
—— labiata	—— gramminigolia 300	biflorus 213	Exhibitions 4, 60, 96, 113, 156, 215, 228
lutea 120	Massangeana 60	—— Canariensis 56	252, 264, 278, 288, 300, 336, 372, 383, 395
	—— pandurata 284	capitatus 273	431, 455, 456, 467, 478, 479, 484, 495, 501
Mendelii	——— Sanderiana 340	nigricans 273	50.
Mossiæ255	—— speciosa 344	—— purpureus 56	Experiment stations, work for 28
—— Percival's	Coffee, Liberian	—— scoparius 213	horticulture in 18
—— porphyrites	Colchicum autumnale		Eysenhardtia spinosa 52.
Rothschildiana	Cold climates fruits for	D	
Sanderiana	Cold climates, fruits for		 -
Schofieldiana316	Columbines	Dabœcia polifolia	F.
Schræderiana 340	Cone-eating insects*	Daffodils	Facus aulusti
Skinneri	Cone-eating insects* 100 Coniferous tree seeds, longevity of. 250	Dahlia, northern limit of	Fagus sylvatica 468 Farmers and forestry 229, 310
speciosissima 271	Conifers, propagation of 47, 436	Dobling potes on	Farmers and forestry 229, 310
—— Wageneri188, 244, 248	——————————————————————————————————————	Dahlias, notes on	Felling trees 325, 397, 433
—— Walkeriana	Conoclinium cœlestinum 362	Daphne alpina	Fendlera rupicola
Ceanothus, 248, 374	Conservatories, heating of 407	—— Cneorum 441	Fertilized flowers, protection for
Cedar, the Red 314	Convolvulus tenuissimus 407	—— Genkwa	artificially*
—— the Yellow	Corchorus, the	— Mezereum	
Celastrus scandens	Cordyline indivisa 148, 204	Daphniphyllum glaucescens 267	for basket culture 394, 423
Celery 224, 294, 484, 513	Corema Conradi	Daremma catalpæ 500	for outting
Celtis occidentalis	Coreopsis coronata 473	Date tree	for cutting
— var. reticulata 106	—— lanceolata	Davallia tenuifolia404, 523	new varieties 4,0
Cemeteries	rosea 362	Davillia aculeata 503	notes on
Centauridiums 472	—— tinctoria 473	Deciduous forest trees from seed. 23	Ficus aurea * 128, 21
Centennial of the Fuchsia	Cornus asperifolia273	Decumaria Sinensis120	elastica 214, 22
Central Park, Minneapolis.* 374	——— florida 440	Delphinium viride*149	—— Ti-Koua 502
Central Park, Minneapolis.* 374 N. Y., meadows in * 124	mascula 120	Zalil 6	Vogelii 526
historic trees and	officinalis 120	Dendrobium Bensoniæ 268	Fir, the Balsam 58
shrubs for 144	paniculata 240	chrysotoxum 248	
proposed speed-road in 37	sanguinea 464	clavatum 227	—— the Silver 120
trees in	sericea 260	crassinode superbum 125	the Spanish
view in * 30	stonolifera249	—— Dalhousieanum 200	Fishkill, Washington oak at*
work in 120	Corydalis solida 153	Dearei 236	Flora of the Florida Keye
Cephælis tomentosa527	Corylopsis pauciflora 165	—— Huttonii 200	Floral novelties 270, 283
Cephalanthus occidentalis290, 310	Corypha umbraculifera223	macrophyllum 479	Floriculture in the United States
Cerasus Capronia	Corythuca arcuata459	—— Wardianum 475	Florida, central, palms in 233
pseudo-cerasus	Cosmos bipinnatus 473	Deutzia parviflora * 363	fruit growing in 77
Sieboldi	—— hybridus 474	Dicentra Cucullaria153, 177	horticulture in
Watererii 178	Cotoneaster denticulata 524	eximia 177	Florida Keys, flora of
Ceratothica triloba	Cottonwoods, the*51, 105, 254 Court-yard, Charlecote Hall*171	Dichorisandra pubescens 204	Florida Keys, flora of 270
Cercis Canadensis 220	Court-yard, Charlecote Hall* 171	Dicksonia pilosiuscula 354	Itmestree in
Chinensis 220	Cowania Mexicana 524	Dicraurus leptocladus 524	Florists, Society of American, 301, 313
— siliquastrum	Cowslip, Virginia	Diervilla sessilifolia 273	321
Cereus grandiflorus	Crab-apple, the American212	trifida 273	and nurserymen, responsibili-
Chænactis tenuifolia	Cranberries 185, 519	Diospyros Virginiana491, 514	ties of 337, 430
Chamæcyparis obtusa	Crassula lactea	Dipladenia Boliviensis 329	Florists' arrangements, taste in 400
Chamærops excelsa231	Cratægus coccinea201, 249	Diplothemium campestre 231	Flourensia cornua522
robusta231	cordata	Disa graminifolia	Flowers and fruit pictures at the
Charlecote Hall, court-yard of * 171	—— Douglasii 201	grandinora208, 520	Academy of Design
Charles River at Wellesley * 422		racemosa208, 407, 520	Flower beds, formal
Cherokee Rose234, 370	pinnatifida237	Disease of certain Japanese shrubs, a 40	border, a well-arranged * 136
Cherry plum	purpurea 237	— of nursery stock	boxes, balcony
Chestnut, Spanish131, 191		Do not spare the axe	garden, the 224, 390, 402
Chestnuts500	— subvillosa 201	Dodge City, forestry station at 158	mission, the New York 220
Chimaphila maculata 519		Dogtooth Violets	ehow at Philadelphia
umbellata 510	Cress, upland513	Dogwood	show at Philadelphia 96
China Asters 356, 380	Crinum giganteum 329	Domain, forests of national 97	at Boston
Chinese horticulture in N. Y 483	Zeylanicum 452	Domestication of wild fruits 195	Flowers, annuals for a succession of, 186
Chiogenes hispidula 57	Crocosma aurea 503	Doorways of villas	
Chionanthus Virginica 201	Crocus Haussknechtii	Doronicum Caucasicum 150	—— dyeing 12
Chion cinctus*	Crocuses496	Douglasia lævigata204, 228	Easter, in New York 86
Chion odoxa Luciliæ 127, 494	Cryptogramme acrostichoides 341	Dracæna australis432	in Japan * 338, 350
Chionophila Jamesii*	Cucumber, white 484	Drives and walks 103	in winter 98
Chironia peduncularis407	Curculio, the 187	Drosera longifolia243	protection for artificially fer-
Choisya ternata219, 348	Currant, Black	Dryocætes affaber 101	tilized * 330
Chokeberry 212	——— cultivation of 282	Dunes, planting the 357	sermon of the 205
Christman arran			Foliage with cut flowers 69
Christmas green	—— Fay's prolific 356	Dyeing flowers 14	
in the Pines	—— Fay's prolific	Dyeing flowers 14	Fontainebleau, forest of 05
	—— Fay's prolific		Foreign plants and American
Cormonto	— Fay's prolific	IE.	Foreign plants and American
Germantown 456	— Fay's prolific	E Easter flowers in New York 86	Foreign plants and American scenery
Germantown456 New York455, 478	— Fay's prolific	E Easter flowers in New York	Foreign plants and American scenery
— Germantown	— Fay's prolific 356 — Missouri 105, 178, 239, 416 — Red Fruited 165, 169 Cuscuta glomerata 495 — tenuiflora 495 Cut flowers and growing plants, 110, 238	Easter flowers in New York. 86 Eburia quadrigeminata . 172 Echinocactus Haselbergii . 371	Foreign plants and American scenery
— Germantown	— Fay's prolific 356 — Missouri 105, 178, 239, 416 — Red Fruited 165, 169 Cuscuta glomerata 495 — tenuiflora 495 Cut flowers and growing plants, 110, 238	Easter flowers in New York	Fontainebleau, forest of
— Germantown	— Fay's prolific	Easter flowers in New York. 86 Eburia quadrigeminata 172 Echinocactus Haselbergii 371 Eichornia tricolor 328 Elæagnus longipes* 202, 400	Fontainebleau, forest of
— Germantown. 456 — New York. 455, 478 — Philadelphia. 467 Chrysanthemum, Baron d'Avène. 228 — C. Jules Barigny. 228 — Lilian M. Bird * 512	— Fay's prolific	Easter flowers in New York. 86 Eburia quadrigeminata 172 Echinocactus Haselbergii 371 Eichornia tricolor 328 Elæagnus longipes* 202, 499 Elder, box. 254	Foreign plants and American scenery
Germantown	— Fay's prolific	Easter flowers in New York. 86 Eburia quadrigeminata 172 Echinocactus Haselbergii 371 Eichornia tricolor 328 Elæagnus longipes* 202, 499 Elder, box. 254 — common 249	Fontainebleau, forest of
Germantown	- Fay's prolific	Easter flowers in New York. 86 Eburia quadrigeminata	Fontainebleau, forest of 95 Foreign plants and American scenery
Germantown	— Fay's prolific	Easter flowers in New York. 86 Eburla quadrigeminata 172 Echinocactus Haselbergii 371 Eichornia tricolor 328 Elæagnus longipes* 202, 499 Elder, box. 254 — common 249 — Mexican 106 — scarlet-berried 256	Fontainebleau, forest of 95 Foreign plants and American scenery 266, 416 Forest lands, leasing of 233, 146 — law in Russia 357, 496 — for Italy, a new 417 — management, European 457 — of Fontainebleau 95 — planting in New England 392 — in Virginia 500 — preserves in Canada 211
Germantown. 456 New York. 455, 478 Philadelphia. 467 Chrysanthemum, Baron d'Avène. 228 C. Jules Barigny. 228 Lilian M. Bird*. 512 Mrs. Alpheus Hardy*. 5 Chrysanthemums, new variety of* 5, 168 notes on, 33, 81, 264, 378, 402, 445 467, 472, 473, 484, 492, 511, 516, 523 a garden of *. 522	— Fay's prolific	Exaster flowers in New York. 86 Eburia quadrigeminata 172 Echinocactus Haselbergii 371 Eichornia tricolor 328 Elæagnus longipes* 202, 499 Elder, box. 254 — common 249 — Mexican 106 — scarlet-berried 256 Em, Japanese 221, 312	Fontainebleau, forest of
Germantown. 456 New York. 455, 478 Philadelphia 467 Chrysanthemum, Baron d'Avène 228 Lilian M. Bird * 512 Mrs. Alpheus Hardy* 5 Chrysanthemums, new variety of * 5, 168 notes on, 33, 81, 264, 378, 402, 445 467, 472, 473, 484, 492, 511, 516, 523 a garden of * 522 Chrysosplenium macrophyllum 120	Fay's prolific	Easter flowers in New York 86 Eburia quadrigeminata 172 Echinocactus Haselbergii 371 Eichornia tricolor 328 Elæagnus longipes* 202, 499 Elder, box 254 — common 249 — Mexican 106 — scarlet-berried 256 Elm, Japanese 231, 312 Elms 516	Fontainebleau, forest of 95 Foreign plants and American scenery 266, 418 Forest lands, leasing of 123, 146 — law in Russia 357, 492 — for Italy, a new 471 — laws 26, 357, 417 — management, European 454 — of Fontainebleau 99 — planting in New England 392 — in Virginia 500 — preserves in Canada 216 — bill concerning 75 — school at Nancy 66
Germantown. 456 New York. 455, 478 Philadelphia 467 Chrysanthemum, Baron d'Avène 228 C. Jules Barigny. 228 Lilian M. Bird*. 512 Mrs. Alpheus Hardy* 5 Chrysanthemums, new variety 0f*.5, 168 notes on, 33, 81, 264, 378, 402, 445 467, 472, 473, 484, 492, 511, 516, 523 a garden of * 522 Chrysosplenium macrophyllum 120 Chysis Chelsonii 211	Fay's prolific	Exaster flowers in New York. 86 Eburia quadrigeminata 172 Echinocactus Haselbergii 371 Eichornia tricolor 328 Elæagnus longipes* 202, 499 Elder, box. 254 — common 249 — Mexican 106 — scarlet-berried 256 Elm, Japanese 211, 312 Elms 516 Elm trees, arsenical poisons on 151	Fontainebleau, forest of
Germantown. 456 New York. 455, 478 Philadelphia. 467 Chrysanthemum. Baron d'Avène. 228 C. Jules Barigny. 228 Lilian M. Bird*. 512 Mrs. Alpheus Hardy*. 5 Chrysanthemums, new variety of*.5, 168 notes on, 33, 81, 264, 378, 402, 445 467, 472, 473, 484, 492, 511, 516, 523 a garden of *. 522 Chrysosplenium macrophyllum 120 Chysis Chelsonii. 211 Cinchona Calisaya. 503	Fay's prolific	Easter flowers in New York	Fontainebleau, forest of 95 Foreign plants and American scenery 266, 418 Forest lands, leasing of 123, 146 — law in Russia 26, 357, 447 — laws 26, 357, 417 — management, European 454 — of Fontainebleau 99 — planting in New England 393 — in Virginia 500 — preserves in Canada 212 — bill concerning 75 — school at Nancy 60 — tree plantation of the University of Illinois 465
Germantown. 456 New York. 455, 478 Philadelphia 467 Chrysanthemum, Baron d'Avène. 228 Lilian M. Bird * 512 Mrs. Alpheus Hardy*. 5 Chrysanthemums, new variety of * 5, 168 notes on, 33, 81, 264, 378, 402, 445 467, 472, 473, 484, 492, 511, 516, 523 a garden of * 522 Chrysosplenium macrophyllum 120 Chysis Chelsonii 211 Cinchona Calisaya. 503	Fay's prolific	Exaster flowers in New York	Fontainebleau, forest of
Germantown. 456 New York. 455, 478 Philadelphia 467 Chrysanthemum, Baron d'Avène 228 C. Jules Barigny 228 Lilian M. Bird * 512 Mrs. Alpheus Hardy* 5 Chrysanthemums, new variety of *.5, 168 notes on, 33, 81, 264, 378, 402, 445 467, 472, 473, 484, 492, 511, 516, 523 a garden of * 522 Chrysosplenium macrophyllum 120 Chysis Chelsonii 211 Cinchona Calisaya 503 Cinerarias, new varieties 113 Cinnamon-fern 243, 354	Fay's prolific	Easter flowers in New York 86 Eburia quadrigeminata 172 Echinocactus Haselbergii 371 Eichornia tricolor 328 Elæagnus longipes* 202, 499 Elder, box 254 — common 249 — Mexican 106 — scarlet-berried 256 Elm, Japanese 231, 312 Elms 516 Elm trees, arsenical poisons on 151 Empusæ 159 English flower gardens 399 Enkianthus Himalaicus 503	Fontainebleau, forest of
Germantown. 456 New York. 455, 478 Philadelphia 467 Chrysanthemum, Baron d'Avène. 228 Lilian M. Bird * 512 Mrs. Alpheus Hardy*. 55 Chrysanthemums, new variety of * 5, 168 notes on, 33, 81, 264, 378, 402, 445 467, 472, 473, 484, 492, 511, 516, 523 a garden of * 522 Chrysosplenium macrophyllum. 120 Chysis Chelsonii 211 Cinchona Calisaya 503 Cinerarias, new varieties 113 Cinnamon-fern 243, 354 Cinnua-foll 285	Fay's prolific	Easter flowers in New York	Fontainebleau, forest of 95 Foreign plants and American scenery 266, 4rf Forest lands, leasing of 123, 146 — law in Russia 357, 496 — for Italy, a new 417 — management, European 454 — of Fontainebleau 99 — planting in New England 393 — in Virginia 500 — preserves in Canada 211 — bill concerning 73 — school at Nancy 66 — tree plantation of the University of Illinois 465 — trees for California 190 — trees of the Far North-west 50
Germantown. 456 New York. 455, 478 Philadelphia 467 Chrysanthemm, Baron d'Avène 228 Lilian M. Bird* 55 Chrysanthemums, new variety 0f*.5, 168 notes on, 33, 81, 264, 378, 402, 445 467, 472, 473, 484, 402, 511, 516, 523 a garden of * 52 Chrysosplenium macrophyllum 120 Chysis Chelsonii 211 Cinchona Calisaya 503 Cinerarias, new varieties 113 Cinnamon-fern 243, 354 Cinque-foil 285 Cissus Japonica 357	Fay's prolific	Exaster flowers in New York	Fontainebleau, forest of
Germantown. 456 New York. 455, 478 Philadelphia 467 Philadelphia 467 C. Jules Barigny. 228 Lilian M. Bird * 512 Mrs. Alpheus Hardy*. 5 Chrysanthemums, new variety of*.5, 168 notes on, 33, 81, 264, 378, 402, 445 467, 472, 473, 484, 492, 511, 516, 523 a garden of * 522 Chrysosplenium macrophyllum 120 Chysis Chelsonii. 211 Cinchona Calisaya. 503 Cinerarias, new varieties. 113 Cinnamon-fern. 243, 354 Cisque-foil. 285 Cissus Japonica. 357 Citrons. 484	Fay's prolific	Easter flowers in New York 86 Eburia quadrigeminata 172 Echinocactus Haselbergii 371 Eichornia tricolor 328 Elæagnus longipes* 202, 499 Elder, box 254 — common 249 — Mexican 106 — scarlet-berried 256 Elm, Japanese 231, 312 Elms 516 Elm trees, arsenical poisons on 151 Empusæ 159 English flower gardens 399 Enklanthus Himalaicus 503 Ephedra pedunculata 524 — trifurca 524 — trifurca 267	Fontainebleau, forest of
Germantown. 456 New York. 455, 478 Philadelphia 228 Chrysanthemum. Baron d'Avène. 228 Lilian M. Bird * 512 Mrs. Alpheus Hardy*. 55 Chrysanthemums, new variety of*, 5, 168 notes on, 33, 81, 264, 378, 402, 445 467, 472, 473, 484, 492, 511, 516, 523 a garden of * 522 Chrysosplenium macrophyllum. 120 Chysis Chelsonii 211 Cinchona Calisaya. 503 Clinerarias, new varieties. 113 Cinnamon-fern. 243, 354 Cinque-foil. 285 Cissus Japonica. 357 Citrons. 484 City Hall Park, N. Y., attack on. 134	Fay's prolific	Easter flowers in New York. 86 Eburia quadrigeminata 172 Echinocactus Haselbergii 371 Eichornia tricolor 328 Elæagnus longipes* 202, 499 Elder, box. 254 — common 249 — Mexican 106 — scarlet-berried 256 Elm, Japanese 231, 312 Elms 516 Elm trees, arsenical poisons on 151 Empusæ 159 English flower gardens 399 Enkianthus Himalaicus 503 Ephedra pedunculata 524 — triturca 524 Epidendrum atropurpureum 267 — evectum 209 — macrochilum 267	Fontainebleau, forest of 95 Foreign plants and American scenery 266, 416 Forest lands, leasing of 123, 146 — law in Russia 357, 496 — for Italy, a new 417 — management, European 457 — of Fontainebleau 95 — planting in New England 392 — in Virginia 500 — preserves in Canada 214 — bill concerning 75 — school at Nancy 66 — tree plantation of the University of Illinois 465 — trees for California 190 — trees of the Far North-west 58 — vegetation of northern Mexico. 70, 105, 117, 141, 226, 238, 429, 441, 524 Forestiera phillyreoides 52
Germantown. 456 — New York. 455, 478 — Philadelphia 467 — Chrysanthemm, Baron d'Avène. 228 — C. Jules Barigny. 228 — Lilian M. Bird*. 512 — Mrs. Alpheus Hardy* 5 Chrysanthemums, new variety of*.5, 168 — notes on, 33, 81, 264, 378, 402, 445 467, 472, 473, 484, 402, 511, 516, 523 — a garden of * 522 Chrysosplenium macrophyllum 120 Chysis Chelsonii 211 Cinchona Calisaya. 503 Cinerarias, new varieties. 113 Cinnamon-fern. 243, 354 Cinque-foil. 285 Cissus Japonica. 357 Citrons. 484 City Hall Park, N. Y., attack on 134 Claytonia Caroliniana 177	Fay's prolific	Exaster flowers in New York	Fontainebleau, forest of
Germantown. 456 New York. 455, 478 Philadelphia 228 Chrysanthemum. Baron d'Avène. 228 Lilian M. Bird * 512 Mrs. Alpheus Hardy*. 55 Chrysanthemums, new variety of*, 5, 168 notes on, 33, 81, 264, 378, 402, 445 467, 472, 473, 484, 492, 511, 516, 523 a garden of * 522 Chrysosplenium macrophyllum. 120 Chysis Chelsonii 211 Cinchona Calisaya. 503 Clinerarias, new varieties. 113 Cinnamon-fern. 243, 354 Cinque-foil. 285 Cissus Japonica. 357 Citrons. 484 City Hall Park, N. Y., attack on. 134	Fay's prolific	Easter flowers in New York. 86 Eburia quadrigeminata 172 Echinocactus Haselbergii 371 Eichornia tricolor 328 Elæagnus longipes* 202, 499 Elder, box. 254 — common 249 — Mexican 106 — scarlet-berried 256 Elm, Japanese 231, 312 Elms 516 Elm trees, arsenical poisons on 151 Empusæ 159 English flower gardens 399 Enkianthus Himalaicus 503 Ephedra pedunculata 524 — triturca 524 Epidendrum atropurpureum 267 — evectum 209 — macrochilum 267	Fontainebleau, forest of 95 Foreign plants and American scenery 266, 416 Forest lands, leasing of 123, 146 — law in Russia 357, 496 — for Italy, a new 417 — management, European 457 — of Fontainebleau 95 — planting in New England 392 — in Virginia 500 — preserves in Canada 214 — bill concerning 75 — school at Nancy 66 — tree plantation of the University of Illinois 465 — trees for California 190 — trees of the Far North-west 58 — vegetation of northern Mexico. 70, 105, 117, 141, 226, 238, 429, 441, 524 Forestiera phillyreoides 52

Index.

Forestry commissions 385	M	\mathbf{J}	Lime tree, Crimean
Congress at Atlanta 515 European state 345	Habenaria blephariglottis	Jack-pine plains 398 Jamesia Americana 237	Limnanthemum lacunosum243, 29
—— in California361, 369, 380, 392		Iapan, flowers in*	nymphæoides 29
405, 422	Hackberry, the 106	house at Honmoku in* 314	Linden, the silver231, 31
—— station at Dodge City 158 Forests, Adirondack, in danger.49, 73, 87	Hæmanthus Katharinæ 328	pictures of	American and European 230, 25 Lindera Benzoin
and civilization 505	Hakea laurina		fragrans 52
——— and rainfall 489	Hamamelis mollis	Jasmine, white Bornean 41	Lippia lycioides52
	Hamamelis mollis	Jeffersonia diphylla 165	Liquidambar wood
hardwood, of the South 34	Hardwood forests of the south, the. 34	Jubæa spectabilis	Lisbon, park in
— in Pennsylvania 525	Harpalium rigidum	Judas tree	Lisbon, park in 3 Lissochilus giganteus208, 26
—— of Europe 430	Hawthorn 201	— Manchurica396, 443	Live Oak*
American lumbarman	Hay, salt 155	rupestris 106	Livistonia horrida
American lumberman 274	Hazel, Constantinople 101	Juniper, dwarf	the Honey 25
——— of New Jersey	Heating of conservatories 407 Hedges, notes on 203	Juniperus occidentalis141, 441 pachyphlœa441	Lomaria Spicant 34
of the White Mountains2, 70, 403	Helianthus angustifolius 362		Lonchocarpus cyanescens 52
of Tunis	Maximiliani 440	—— Virginiana 59, 65, 470	Lonicera Alberti
on the national domain 97	Heliconia Choconiana*	K	cileata 16
Forget-me-nots 176	Heloniopsis Japonica	Kæmpferia secunda 275	
Forsythias	Hemlocks	Kalmia latifolia 442	—— fragrantissima 15 —— Japonica 24
Fothergilla alnifolia	Hemp-weed	Kansas forest trees identified 12	— Maximowiczii 22
France, American fruits in 482	Hepatica, the45, 107 Herbaceous plants in frames427	Kennedya Marryattæ16, 495 Kew Arboretum, the40, 53, 101, 136	oblongifolia 23
Fraxinella 58	——— in parks, etc 361	Kingston, R. I., street in * 208	Periclymenum 27
Fraxinus Americana	Herbs, fragrant, for edging 176	Kitchen garden, the 91, 103, 342	— Ruprechtiana 20 — Standishi 15
pistaciæfolia	—— for seasoning	Kniphophia	Luffa acutangula48
viridis 466	Heuchera sanguinea115, 152, 291, 371	paniculata	Lychnis 29
Freesias 68	Hibbertia dentata496		Lycium Chinense286, 45
Fringe tree291 Fritillaria imperialis163	Hibiscus lasiocarpus * 425	I.	—— pallidum* 34 Lycopodium
meleagris	——— Syriacus	Labels	complanatum 50
Moggridgei	Hickory borer, the banded * 148	Lælia albida 16	dendroideum 50
—— pallidiflora	Hieracium aurantiacum252, 336	anceps	Lygodium palmatum
——— pudica	Hippeastrum aulicum520 Hippophæ rhamnoides496	——————————————————————————————————————	**
Fruit and flower pictures 107	Hippopnæ rnamnoides 490 Holly 182, 528	callistoglossa	M
——— and vegetables under glass. 518 Fruit garden, the257, 202	Holothrix Lindleana 120		Macaranga Porteana 16
	Honeysuckle154, 165, 201, 237, 273, 524		Machaonia Pringlei
Fruit growing in Florida 77	Honmoku, house in*	flammea	Macrotomia Benthami
in the West Indies 421	Horticultural exhibitions (see Exhi-	Gouldiana 4	Magnolia conspicua
	bitions).	monophylla 388	cordata 50
on highways 528	Horticulture and the experiment		glauca
Fruits, domestication of wild 195	stations 181	—— purpurata 479	hypoleuca *
——— American in France 482 ——— for market and home useg1, 127	—— Chinese, in N. Y 483	Victoria495	Norbertiana 51
——— for cold climates 498		Lake-flower	——— Soulangeana 51 ——— stellata 151, 232, 51
improvement of North	Howea Belmoreana 407	Landscape-gardening, 2, 14, 27, 38, 51,58,	Thompsoniana *
American 514 thinning of 197	Huckleberries, cultivation of 183	63, 75, 76, 87, 94, 112, 130, 142, 335, 480, 481	Magnolias, notes on
Fuchsia, centennial of the 423	Hudsonia212, 237, 495 Huernia aspera275	Lantanas	—— propagation of
Fungus diseases of insects 159	Hyacinths for forcing 332	Lapageria alba456	Maiden-hair fern200, 34
G	Hyacinthus corymbosus	Larch, European, in Massachusetts. 11	Malacothrix obtusa
Gaillardias 473	Hydrangea arborescens 296	European 500 the common 59	Manettia bicolor
Galax aphylla 507	—— hortensis226, 336	Larch forest with undergrowth 94	Manure 41
Garden, a California	——— paniculata296, 408, 419 ——— quercifolia296	Larix leptolepsis 454	Maple, the Ash-leaved
a french	querchona	Larkspur	the Norway 25
	r0000 68	Lastrea montana315	
in Shanghai, a 160	Hymenocallis humilis*	Latania Borbonica 324	the Sycamore 262, 34
notes from an amateur's 450 of chrysanthemums, a* 522	Palmeri*	Latinized names of garden plants 490 Laurel 182, 180	——the White
——— plants, Latinized names of 400	Hypericum calycinum 333	mountain	Marigolds
Gardenia Fortunei	patulum 333	Lawn, how to make a 3	gibberosa 12
Gardener's art and Alexander Pope. 207 Gardeners' Monthly, discontinu-	_	notes on	—— Harryana
ance of 4	I	Tennis 357	macrura 52
Gardening, future of American 13	Ilex glabra182, 261	Lead-plant 285	Mooreana 52
Gardens of the Alhambra255 Garrya Wrightii524	—— lævigata261, 453 —— macrocarpa527	Leather-leaf	pulvinaris 52 tovarensis 1
Gaultheria 57, 143	opaca 182	Leatherwood 120	Massachusetts Horticultural So-
Genista tinctoria272, 442	verticillata 182, 261, 453	Leaves of last year 99	ciety 60, 228, 300, 336, 37
Gentiana Saponaria	Illicium verum	Lechea minor	— European Larch in 1 Maurandia Barclayana 47
Gentians307, 362 Geraniums, notes on404	University of 465	Leiophyllum buxifolium236, 519	Maxillaria fuscata50
Germantown, exhibition at 456	Impatiens Hookeri 329	Leland Stanford, Jr., University,	Meadow beauty 51
Gethsemane, Garden of, olive tree in 284 Geum coccineum plenum 150	Incarvillea Olgæ	plan of *506, 507 Leptosyne maritima21	Meadows, the, in Central Park, New York*12
Gillenia trifoliata225	Injuries to shade-trees 469	Lespedeza bicolor 285	Meconopsis Wallichii 29
Ginger, wild 177	Ink-berry182, 261	Leucoium æstivum 163	Merendera Caucasica
Ginkgo biloba*	Insects, cone-eating * 100 ———————————————————————————————————	Leucothoë racemosa 237, 454	Mesembryanthemum Brownii 6 Mesospinidium vulcanicum 41
444, 450, 474	Ipecacuanha 527	Ligustrum amurense 260	Mexican orange flower 21
Gladiolus, Oberprösident von Sey-	Ipomea Hardingei 329	Californicum 260	Mexico, notes from a naturalist in 38
derretz108 —— winter	—— Briggsii	Ibota	forest vegetation of northern, 70, 105, 117, 141, 226, 238, 429, 441, 52
Gleichenias	—— ternata 485	—— vulgare 260	Microlepsis hirta cristata 52
Gloxinia gesnerioides 348	paniculata 329	Lilacs, notes on	Mikania scandens 36
Golden club	Iris Alberti	Lilies, cultivation of	Mildew on roses
Gooseberries 514	—— cristata 188	Lilium auratum103, 363, 388	Miltonia Phalænopsis
Gordonia pubescens	Germanica 150	—— Brownii	Mimosa dysocarpa 52
Grammatophyllum speciosum 468 Grape, the wild 524	— Kæmpferi259, 264 — Korolkowi127, 209, 348, 491	——— candidum 103, 115 ——— elegans 103	
Grape-vines, American, in Europe 111	Krelargii 127	excelsum 103	— prolifica
how to prune* 461	lævigata*259, 402, 431	——— Grayi *19, 56, 256	Minneapolis, Minn., park in* 37
Grapes for home use34, 56 ——— under glass21	—— pabular ia	—— Hansoni 291 —— Henryi 528	Minneapolis, Minn., park in*
Gray, Asa 1 —— bibliography of 482	reticulata 127	longiflorum103, 115	Mist-flower
bibliography of 482	——— stylosa 148	Nepalense	Mite, the red, on verbenas* 2
—— Hooker's opinion of 26 Greenbrier249, 465, 519	—— tenuis*	—— Parkmani 363 —— Parryi 30, 141	——— on trees
Green-house in summer, the 175	Irises, notes on	punctatum 103	Mitre-wort 16
stages 310	Iron-wood	— purpuratum 103	Mobile, Spring and Winter plants
——————————————————————————————————————	Irrigation in the West253, 277, 494 ——————————————————————————————————	—— speciosum 103 —— Szovitzianum 291	of16, 8 Momordica Charantia48
Grewia parviflora297	Italy, new forest law of	—— tenuifolium 103	Monohammus confusor 17
Groundsel-tree 495			
Guinea hen flouren the	Itea Virginica 261	—— tigrinum flore pleno 103	Montbretias 399, 45
Guinea-hen flower, the	Itea Virginica	tigrinum flore pleno 103 Wallichianum 425	Montbretias
Guinea-hen flower, the 163, 258 Gymnogramma Pearcei robusta 303 ———————————————————————————————————	Itea Virginica 261	—— tigrinum flore pleno 103	Montbretias 399, 45

vi Index.

Mulching shrubbery beds 33	Oranges, Florida 519	Phalænopsis F. L. Ames4, 36	Plums for the west 34
Musa proboscidea	Orchard, arsenical poisons in 9 Orchid houses	—— gloriosa 244 —— Harriettis 68	——— our native
Mustard, green	Orchids in New York	—— intermedia Portei	Plumus fragrans
Myrica cerifera280, 494	Oreodoxa oleracea 503	Kimballiana 255	Poisonous plants T18. T4
Gale	Ornithogalum Arabicum41	Lowi	Poke, the
—— the Wax280, 494	nutans 180	Miltonia 236	Polyanthuses 16
N	Orobus vernus	——————————————————————————————————————	Polygala lutea
Names of plants323, 490	Osmunda cinnamomea 243, 354 ————————————————————————————————————	——— Schilleriana204, 479 ——— speciosa Imperatrice236, 255	Polypodium Californicum 34
Nancy, forest school at	regalis 354	Sumatrana 255	Pomology, needs of American 3
Narcissus monophyllus 510	Ostrowskia magnifica303, 348, 406 Ostryopsis Davidiana165	Phegopteris calcarea342 ——dryopteris342	Pope, Alexander, and the gardener's art
——— Broussoneti	Oxalis Acetosella	—— hexagonoptera 342	Poplar, the Lombardy174, 30
Natural beauty and the landscape	Oxera pulchella	—— polypodioides 342 Philadelphia flower show 96	Poppies, notes on
gardener481	Oxybaphus Californica	Philadelphus Coulteri* 232	Populus Fremontii, var. Wislizeni* 10 ————————————————————————————————————
Nepenthes Dicksoniana	oxy denar am ar boream332, 440	coronarius 240	tremuloides 5
fida	P	——————————————————————————————————————	Postage on seeds, plants, etc 25 Potato disease
—— Tuerckheimii 371	Pæonia albiflora 224, 270, 271	Schrenkii 249	Potentilla fruticosa
Nephrolepsis davallioides furcans 523 ————————————————————————————————————		Phlox adsurgens*	Prairies, forest tree planting on 28
Nerine Fothergilli451	—— Broteri 271 —— Brownii 271	——————————————————————————————————————	Pretty plants, an appeal for 52
Mansellii 4 Nerium Oleander 399	Byzantina 270	Drummondii 283	Primula capitata 51
Neviusia Alabamensis 212, 219	—— decora 270 —— Emodi 270	nana*	cortusoides 14: double Chinese 41, 6
New England, forest planting in 393 New Jersey, forests of 59	—— humilis 271	Stellaria*	——— Faberi 52
New York City, a botanic garden for, 517		—— subulata	—— geranifolia
Nikko, Temple in* 434	peregrina 270	Phœnix Canariensis168, 231	officinalis 21
Nine-Bark 225 Nogal tree 503	—— Russi		——— rosea
Nomenclature, botanical323, 490		Phormium Hookeri	Sinensis
North American fruits, improvement of514	Palicourea nicotianæfolia 275	Physocarpus Amurensis 225	Prince's pine 51
North-west, forest trees of 58	Palm, the Manacle	Piazzas	Privet
Novelties at Baden-Baden 233 —— Floral 270, 283	Palms, cultivation of322, 373	Pictures, flower and fruit, at Acad-	Prosopis juliflora*
Nurserymen, Association of American	for house decoration 29 in Central Florida 231	emy of Design	Prospect Park, Brooklyn 217, 262, 33 Prune, the German 22
and florists, responsibilities	Panax sessiliflorum356	—— the Chili 101	Pruning shrubs80, 49
of	Pancic, Dr., death of 135 Pancratium speciosum452, 475	fibre matting	—— Grape vines*
Nymphæa* 241	Pansies	the Norway 106 the Scotch 502	Prunus Americana 17/ —— avium 20
alba 241 ampla 242	nudicaule210	Pines, among the, in April 124	—— capuli 10
castalia 186	—— orientale 340 —— Rhœas 210	in May 182 in June 243	cerasifera 17 Cerasus 201, 32
—— dentata	Papaw, the wild 514	——— in July 290	Chamæcerasus 20
— Kewensis	Paper pulp from pine and spruce 291	in August 362 in October	—— Davidiana
Lotus 242, 495	Paphinia cristata	——————————————————————————————————————	—— domestica
Luteum	horticultural exhibition 215	Pink-root, Demerara 527	ilicifolia 41
pygmæa186, 241	Park, Central30, 37, 124, 144, 230 in Atlanta	Pinus albicaulis	—— insititia
	——— in Lisbon	——— Banksiana	—— Japonica 200
	—— in Minneapolis*	—— Canariensis	—— Maackii
—— tuberosa*241,263, 368 —— Zanzibarensis242	— City Hall, attack on 134	——— Chihuahuana238, 429, 430	Miqueliana* 19
Nyssa sylvatica 444	commission at Rochester 482 novel project for a public* 457	—— contorta	Padus*
O	Prospect, Brooklyn217, 262, 335	——————————————————————————————————————	——————————————————————————————————————
Oak, the Chestnut 511	Yellowstone, enlargement of. 75 forests of	—— inops 65	—— pumila 20
the Pin136, 254 the Red136, 254	Park-making, Anglomania in 64 Parks and squares of U. S. cities 412	—— insignis	ranunculiflora 20 serotina 10
——— the Scarlet	—— for Philadelphia 144	—— macrophylla 238, 429	—— subcordata 51
——————————————————————————————————————	herbaceous plants in 361 use and abuse of 121	—— maritima 504 —— Murrayana 59, 129	—— tomentosa
the White 500 the Willow	Parnassia Faberi527 Parrotia Persica464	—— occidentalis	Pseudoisuga Douglasii441, 500, 50. Psychotria jasminiflora140
Oaks in the Kew Arboretum 136	Parsley 484		Pteris aquilina 34
—— European	Parthenium incanum	ponderosa	—— argyæa
—— in Kent 528	—— Miersii 407	—— Pyrenaica 407	Cretica 52
Odontoglossum crispum108, 159 ————————————————————————————————————			
—— Halli	violacea	——————————————————————————————————————	Pterocarya fraxinifolia
——— Insleayi 108	Pea, the sugar 484	——— Strobus 286, 338	
— Karwinski	Pear, Belle Picarde	——— Sylvestris	coronaria
Rossi	——— balsam 483	Pinweed	——— floribunda 23:
—— Roezli	Peach yellows, the	Palmeri * 200	—— Maulei
— Uro Skinneri	Peach blight	Tuerckheimei	sambucifolia
Oil of Sassafras 458	Pecan nuts 528	Pithecoctenium Buccinatorium 479	spectabilis* 232, 27
Oil-tree of China and Japan 135 Olea Europæa*	Pellæa atropurpurea 341 —— gracilis 341	Pithecolobium Saman	
Olea Europæa*	Peltandra Virginica243	Plagianthus Lyalli 305	Q
Olive tree*	Pennsylvania Forestry Association, 154,	Plains, rainfall on the 62, 169, 411 Plan for a small homestead* 111	Quercus acuta
Jonesianum 60	forests	Planchon, Professor J. E., death of. 99 Plans for small places	
Lanceanum	tion of	Plantation for winter, a	Buergeri 13 cerris 102, 13 corcinea 13 conferta 13
	Pentapera sicula	Planting for autumn effect 410 —— notes	Daimyo
ornithorhynchum 387	rotundifolius* 407, 472, 406	——— the dunes 357	Emoryi 142, 238
	Pepper-root, the 188 Pepper-tree, the 118	Plants, bedding, for spring 10 ——dispersion of	fulva
Onoclea sensibilis	Pepper-tree, the 118 Perennials, hardy 54, 176, 462 Periploca Græca 297	——— and cut flowers 110, 258, 278	glandulifera
Onosma pyramidalis 60	Periwinkle, the		—— hypoleuca 44:
—— stell'ulatum	Persimmon, the	—— useful, of Southern California 414 —— why we do not buy growing. 121	Ilex 13
Onychium Japonicum 523	Phajus callosus 485	Platycaria strobiacea 36	—— lobata
Ophioglossum vulgatum		Platycodon grandiflorum 264 Plum and the curculio, the 187	—— palustris 136
Orange-flower, Mexican219, 348	Phalænopses, cultivation of 403 Phalænopsis Esmeralda 367	Plum, the Beach200, 514	—— Pannonica 136
trees 231	i nationopsis Esmeratua 307	the Sierra 514	—— pedunculata102, 136, 137

Index. vii

	•		
Quercus Phellos 13	Rose, the Japanese 204, 441, 45.	4 Smilax rotundifolia 249, 465, 519	Tennessee flowers 525
—— pinus 51	Vicomtesse de Wautier 20	4 — Walteri 519	Tennis-lawn, making a 357
porcina 19	Rose beetle, whitewash for 30	Snowberry jelly 57, 143	Terrace and veranda170, 275
reticulata137, 44	cuttings39	Snow-drop tree220	Tetranychus telarius
Robur 13			Texas State Horticultural Society 228
rubra 13 sessiliflora 13			Thermopsis fabacea 200
tinctoria136, 19			Thiergarten, Berlin, bridge in* 327
undulata 14	2 —— Lenten 32	o Soapwort Gentian494	Thomomys umbrinus 190
virens*	5 — mildew on 42	9 Sobralia leucoxantha 328	Thorns, American14, 19
Quesnelia Wittmackiana 40			Thunbergia affinis
Quinces, how to grow24 ———————————————————————————————		3 Solidago elliptica	— Veitchii 248
Quisqualis Indica			Thuya gigantea
Quisquais indica	summer		Thuyopsis borealis 257
R	—— Tea 108, 204, 479, 513, 52	3 Sorbus domestica 514	Tiarella cordifolia 200
	Royal Botanic Society, exhibition of, 11	3 Sour-wood	Tigridia Pringlei* 388
Rainfall on the Great Plains.62, 169, 41	Ruapellia grata 40	7 Spathoglottis aurea 371	Tilia dasystyla
—— do forests influence ? 48	9 Rubber-plant214, 223, 52 4 Rubus105, 12	6 — Kimballiana124, 224, 316 7 — Vieillardi395	petiolaris231, 312
Randia Pringlei52 Ranunculus, the36		5 Sperinophilus fossor 190	Tillage, surface294
Raspberry canes, removing 40			Timber, influence of undergrowth on. 93
Renanthera Storei	6 — hispidus494, 51		—— preservation of 504
Resin 11	7 — nutkanus 225, 26	Spigelia anthelmia 527	Timber-borer, work of a 172
Retinisporas, the57, 11	6 — odoratus 225, 26	Spinach, Chinese 484	Todea barbara 288
Rhamnus alnifolius 21	2 — strigosus 36	o —— common	Tomatoes
Californicus 52	4 —— trifidus	3 Spindle-trees	Torenia Fournieri 270
—— Frangula 28 Rhapis flabelliformis 23	r —— laciniata31		Toxicophlæa spectabilis 503
Rhexia Virginica 51	Rural improvement societies 14		Transplanting92
Rhodochiton volubile 32	Russian forest laws 357, 49		Tree-guards, wire netting for 7
Rhododendron arborescens* 40	5	corymbosa 237	Tree notes
		—— Douglasii273	—— planted letters 182
brachycarpum*	2	grandiflora 232 hypericifolia 190	—— planting
	7 Sabal dealbata		
—— Catawbiense 23			—— what is a 409
— Dauricum sempervirens 14	Palmetto276, 51	4 — media 190	Trees and shrubs for a trying cli-
ferrugineum 23	7 —— serrulata 28	o —— prunifolia	mate 206, 265
multicolor Curtisii 26	8 — umbraculifera 23	r — pubescens* 330	
Primrose			493 ——— autumn work among 421
punctatum	7 Saccolabium cœleste 31 9 —— Heathi		for planting in America 61
—— Rhodora		Thunbergii178, 225, 453	—— hardy 406
Vaseyi*119, 376, 440, 46	6 Salix balsamifera228, 24	6 — Tobolskia,	in Central Park 312
viscosum 27	3 candida		in Washington254, 347
Rhododendrons, hardy. 25, 82, 116, 14	chlorophylla 15	4 —— trilobata*	——— injuries to shade 469
——— Malayan 49	5 — irrorata 10	Spools, wood used for 506	newly transplanted 199
—— notes on 47	nigra	Sprekelia formossissima309	
—— seedling 8 Rhus aromatica	r —— phylicoides	Spring beauty	rejuvenescence of old* 349
copallina	Salpiglossis sinuata		sentimental objections to fell-
cotinoides 11	4 Salvia coccinea	the Douglas 500	ing
—— glabra 30	9 —— Pitcheri 36	ig —— the Norway, 64, 106, 143, 166, 191,	top-dressing for
microphylla 52	4 —— prunelloides 27	215, 227, 230, 311	Trevesia palmata371
semialata	4 —— scapaformis	the White	Trial beds
	9 Sambucus Canadensis 22 2 — Mexicana		Trichopilia grata
venenata	4 racemosa		Trichosma suavis
Ribes alpinum	o Sand Myrtle	6 Staphylea Bumalda	Trientalis Americana 182
aureum165, 178, 23	9 ridge in California, a 37	4 — Emodi 202	Trillium grandiflorum 150, 153, 165
Cynosbati 17	8 Sarcochilus Berkelevi 6	8 ——— pinnata 201	Tritonia aurea388, 450
floridum	O — Hartmanni 37	ri trifolia201	Tropæolum Lobbianum 473
Gordonianum	8 Sarrocenia Williamsi 24	5 Star-nower	Tropical garden, a*
Lobbii 51 malvaceum 16			Tubercles on leguminous roots 135
—— Missouriensis 41		Stephanandra flexuosa	Tulipa acuminata
—— multiflorum 18			— Biebersteiniana 200
—— prostratum 16	5 Saxifrage, new varieties of	So Sternbergia lutea 496	Clusiana 188
rotundifolium 16	5 Saxifraga, peltata	7 Stocks, double	elegans 177
rubrum 19	o Scenery, American, and foreign	Strawberries104, 127, 270, 282	erythrocarpum
sanguineum 165, 17		8 — and birds	—— grandiflorum
	Schizocodon uniflorus50		Kalpakowskyana 177
		trees 74	— Kaufmanniana 163
—— Uva-crispa 18	Schizophragma hydrangeoides 23	3 Strelitzia augusta 42	— Kesselringii 141
Ripen the wood	4 Schizostylis coccinea440, 40	Streptosolon Jamesonii33, 141	—— oculis-solis 163
Roadside beauty	7 Schomburgkia tibicinis 39	Stropholirion Californicum 291	reflexa 188
Rochester park commission 48 Rock-garden in spring, the, 127, 153, 16			——— suaveolens 177 ——— sylvestris 177
177, 18		Styrax Americana237	undulatifolia177
notes from the 199, 27	I Scolopendrium vulgare 315, 32	Japonica 245	Tulip trees 254
Rockets 23	5 Scuticaria Keyseriana 20	68 —— Obassia 244, 371	Tunis, forests of 71
Rocky mountain bramble 22	5 — Steeli 20	Suburbs in March, the	Turnip, white
Romneya Coulteri 291, 388, 41 Rondeletia gratissima	4 Sea-buckthorn49	66 Sumach143, 154, 309, 362 	Tussock-moth
Rosa alba suaveolens 50			Typha angustifolia 495
Beggeriana			latifolia 495
—— canina 26	8 Selaginella cuspidata crispa	8 Sweet Briar 268	493
Gallica 50	4 —— Pringlei 18	Peas43, 83, 308	U
gigantea 32	Sempervivum, varieties of	5 —— Pepper bush 290	Ulex Europæus442
grandiflora	8 Senecio cruenta	Swiss forest laws	Ulmus campestris381, 516
Kamtschatica 49 lævigata* 234, 37	2 —— elœagnifolia	56 Symplocos paniculata213, 287, 408 Syringa Amurensis222, 453	—— effusa 381
—— lucida	4salignus 52	Chinensis221, 453	——— montana 516
minutifolia*	2 Sequoia 1	Emodi	parvifolia 231, 312
nitida 261, 45	4 Serpent Mound Park, the 39	18 ——— Japonica222, 453	Undergrowth, influence of, on tim-
—— Nutkana* 44	9 Service-berry	or —— Josikæa 222	ber
repens	8 Shad-bush		United States, forests of the 297
	8 Shade-trees, injuries to	69 —— Pekinensis222, 453 —— Persica222	Urena tenax108
	6 Shepherdia argentea320, 3		Ursinia pulchra407
spinossissima 45	4 Short Hills Orchid and Chrysanthe-	rotundifolia 222	Utricularia inflata 243
Rose, American Beauty 46	2 mum Show 4'	79 —— sempervirens 222	longifolia 120
Bardon Job 34	7 Shortia galacifolia*	o6 — villosa *222, 453, 520	—— montana 204
—— Comte Henri Rignon 47	9 — uniflora 5	vulgaris	—— rhyterophylla
Cloire de Polyantha	3 Shrub propagation	Suburban lots, plan for	Ovularia granumora 153
—— Gloire de Polyantha 12 —— Hermosa 5		13 T	v
—— La France 5	Japanese, diseases of40,	-3 77	·
—— Mme. Hoste 5		39 Tabebuia longipes 120	Vaccinium corymbosum 440
Niphetos 5	3 Silenes 3	o Tagetes lucida 473	macrocarpum519
—— of Sharon 107, 1	Simmondsia Californica 4	Tasconia Parritæ 204	Vallota purpurea320
Papa Gontier 271, 4	Slopes and banks, treatment of* 3	26 Taste in florists' arrangements 409	Vancouver Island, forests of 46 Vancouveria hexandra 225
Perle des Jardins 4 Princess Beatrice			Vandas60, 248, 452, 464, 475, 499, 520
the Bride4			Vanilla flower and its fertilization 108
—— the Cherokee* 234, 3	70 —— Pseudo-China 249, 4		Mexicana 524
	15. 1		

Vanquelinia corymbosa	Viola cucullata	Wellesley, the Charles River at 422 West Indian fruit growing 421 White Mountains, forests of the, 2, 70, 493 Why we do not buy growing plants. 121 Wild-flowers, exhibition of 278 some hardy 31 Willow, the Black 106 Willows, two interesting 426 Willows, two interesting 426 Wilmington, Del., park in 12 Wind-breaks, rules for planting 46 Window gardening 243, 383, 410, 474 Winter, plantation for 98 Wintergreen 98 Wintergreen 213, 232, 492 Wolffia microscopica 492 Woodland Sinensis 213, 233, 492 Woodland and 303 sorrel 303 sorrel 303 sorrel 303 Woodsia glabella 355 hyperborea 355 hyperborea 355 Woodwardia angustifolia 341	Woodwardia Virginica
-----------------------	-----------------	--	----------------------

ILLUSTRATIONS.

A	D	M	0
Acidanthera bicolor486, 487	Delphinium viride 150	Magnolia hypoleuca 305	Quercus oblongifolia 140
Alameda of Chihuahua, the	Deutzia parviflora 365	—— Thompsoniana 269	
Amelanchier alnifolia	E	Main street, Kingston, R. I 209	R
—— oligocarpa	Elæagnus longipes 499	Malformed cabbage-leaf296, 392 Meadows in Central Park, N. Y., the. 125	Red mite, the 20
Arizona Garden, Monterey, view in, 403	Entrance to the Arnold Arboretum 17	Mesquit forest in Arizona, a 116	Rhododendron arborescens 401
Arnold Arboretum, entrance to 17	Erythronium Hendersoni 317	Monterey, view in a garden of 403	— Vasevi
Artificial water	F		
Artifically fertilized flowers, protection of 339	Fig tree, the wild, of Florida 128	N	Rosa minutifolia 102 Nutkana 449
	Flower-border, a well arranged 137	Narcissus, Chinese, in water 44	1, uthana 449
В	G	New Jersey pine-forest, a 164	S
Beech, a weeping	Garden, a tropical 223	Nikko, Japan, entrance to temples	Sack for protecting artificially fer-
Fremonti	of chrysanthemums, a 523	at	tilized flowers
berlin, bridge in the Thiergarten 320	Ginkgo tree, the 175	Nymphæa tuberosa	"Sandyside," Yarmouth, Victoria
Bridge at Leathertor, England 53	Grapevines, methods of pruning 461	100t Stock 01 300	tank at
in the Thiergarten, Berlin 329 Brodiæa Bridgesii	Gray, Asa (supplement to No. 2).	O	Santa Rita Foothills, the 140 Shortia galacifolia 509
Buffalo Park, views in proposed 457	H	Oak, the Live 476	Slopes, good and bad
design map of 463	Hardy bulbs blooming in the grass. 306	—— the Washington, at Fishkill 510	Sonora hillside, a 187
Bulbs, hardy, blooming in the	Heliconia Choconiana	Olive tree in the Garden of Geth-	Spiræa pubescens
grass 306	Hibiscus lasiocarpus426 Hickory borer, the149	semane 284	trilobata
C	Homestead, plan for a small	_	Syringa oblata221 —— pubescens415
abbage-leaf, malformed296, 392	House at Honmoku, Japan 310	P	villosa
Camassia Cusickii 174 Cattleya Gigas, white flowered 437	Hymenocallis humilis 114	Paris square, plan of a 265	
Central Park, New York, view in 30	Palmeri139	Park, meadows in Central	T
meadows in	I	— Minneapolis 374 Pentstemon rotundifolius 473	Temples, Japanese89, 439
Minneapolis, view in 379	Iris bracteata 43	Philadelphus Coulteri	Thiergarten, Berlin, bridge in the 320
Charlecote Hall, court-yard of 173	—— Japanese, a bed of 250	Phiox adsurgens 66	Tigridia Pringlei
Charles River at Wellesley, the 427 Cherokee Rose, the 235		nana 413	Tropical garden, a 223
hihuahua, the Alameda of 104	tenuis 7	— Stellaria	T 7
Chinese crab-apple, double flow-	J	Photinia villosa	****
ered	Japanese apple, double flowered 152	Pinus ponderosa pendula 201	Victoria tank at "Sandyside," Yar-
Narcissus, in water 44 Chionophila Jamesii 80	flower vender's basket, a 343 ———————————————————————————————————	Pitcairnia laliscana 107	mouth308
Chrysanthemum, Lilian B Bird 512	temples89, 439	Plan for a small homestead	· w
		of a Paris Square 265	Washington Oak at Fishkill, the510
hair of 6	K	Protection of artificially fertilized	Water lilies at Buitenzorg245
Chrysanthemums, a garden of 523 Cone-worms 101	Kingston, R. I., main street of 209	flowers	Wild flowers for exhibition 270
Country road, a 42	I.	Pruning grape vines, methods of 461	Wodenethe, Pinus ponderosa at 391
Court-yard of Charlecote Hall 173	Leland Stanford, Jr., University,	— methods of	
Crab-apple, Chinese, double flow-	plan of the	Padus	Y
ered	Lilium Grayi	—— pendula 108	Yellow wood, the 92
fasciculatum	Live Oak, the	Pseudopnœnix Sargenti	Yucca filitera78, 70
, , yo	-, panidam 341	—— fruit of 355	—— Treculiana 55



PRICE TEN CENTS.]

Copyright, 1888, by The Garden and Forest Publishing Company, Limited.

[\$4.00 A YEAR, IN ADVANCE

NEW BOOKS. **IMPORTANT**

By WILLIAM DEAN HOWELLS.

APRIL HOPES. A Novel. By WILLIAM DEAN HOWELLS. 12mo, Cloth, \$1 50.

Mr. Howells never wrote a more bewitching book. It is useless to deny the rarity and worth of the skill that can report so perfectly and with such exquisite humor the manifold emotions of the modern maiden and her lover.—Philadelphia Press.

MODERN ITALIAN POETS. Essays and Versions. By WILLIAM DEAN HOWELLS. Author of "April Hopes," &c. With Portraits. 12mo, Half Cloth, Uncut Edges and Gilt Tops, \$2 00.

A portfolio of delightsome studies. . . No acute and penetrating critic surpasses Mr. Howells in true insight, in polished irony, in effective and yet graceful treatment of his theme, in that light and indescribable touch that fixes your eye on the true heart and soul of the theme.—Critic, N. Y.

CONCLUSION OF KINGLAKE'S CRIMEAN WAR.

KINGLAKE'S CRIMEAN WAR. The Invasion of the Crimea: its Origin, and an account of its Progress down to the Death of Lord Raglan. By ALEXANDER WILLIAM KINGLAKE. With Maps and Plans. Five Volumes now ready. 12mo, Cloth, \$2 00 per vol.

Vol. V. From the Morrow of Inkerman to the Fall of Canrobert; just published.—Vol. VI. From the Rise of Pelissier to the Death of Lord Raglan—completing the work—nearly ready.

The charm of Mr. Kinglake's trial, the grant of his highway the public.

The charm of Mr. Kinglake's style, the wonderful beauty of his pictures, the subtle irony of his reflections, have made him so long a favorite and companion, that it is with unfeigned regret we read the word "farewell" with which these volumes close.—Pall Mall Gazette, London.

T. ADOLPHUS TROLLOPE'S AUTOBIOGRAPHY.

WHAT I REMEMBER. By T. Adolphus Trollope. With Portrait. 12mo, Cloth, \$1 75.

The most delightful pot-pourri that we could desire of the time just anterior to our own. Mr. Trollope preserves for us delightful, racy stories of his youth and the youth of his century, and gives us glimpses of loved or worshipped faces banished before our time. Hence the success of these written remembrances.—Academy, London.

IV.

BY THE AUTHOR OF "SELF-HELP."

LIFE AND LABOR; or, Characteristics of Men of Industry, Culture, and Genius. By Samuel Smiles, LL.D., Author of "Self-Help," &c. 12mo, Cloth, \$1 00.

Commends itself to the entire confidence of readers. Dr. Smiles writes nothing that is not fresh, strong, and magnetically bracing. He is one of the most helpful authors of the Victorian era. . . This is just the book for young men.—N. Y Journal of Commerce.

THOMAS W. HIGGINSON'S NEW BOOK.

WOMEN AND MEN. By THOMAS W. HIGGINSON, Author of "A Larger History of the United States," &c. 16mo, Cloth, \$1 00.

These essays are replete with common-sense ideas, expressed in well-chosen language, and reflect on every page the humor, wit, wisdom of the author.—N. Y. Sun.

VI.

Plain, sensible, sturdy advice.-Chicago News.

 $\mathrm{B^{IG}}$ WAGES, AND HOW TO EARN THEM. By A FOREMAN. 16mo, Cloth, 75 cents.

The views of an intelligent observer upon some of the foremost social topics of the day. The style is simple, the logic cogent, and the tone moderate and sensible.—N. Y. Commercial Advertiser.

The standard authority upon the Inquisition.—Philadelphia Ledger.

HISTORY OF THE INQUISITION OF THE MIDDLE AGES.

By Henry Charles Lea. To be completed in Three Volumes. 8vo, Cloth, Uncut Edges and Gilt Tops, \$3 00 per volume. Vols. I. and II. now ready.

Characterized by the same astounding reach of historical scholarship as made Mr. Lea's "Sacerdotal Celibacy" the wonder of European scholars. But it seems even to surpass his former works in judicial repose and in the mastery of materials. . . . Of Mr. Lea's predecessors no one is so like him as Gibbon.—Sunday-School Times, Philadelphia.

THE NAVIES OF THE UNITED STATES AND OF EUROPE.

MODERN SHIPS OF WAR. By SIR EDWARD J. REED, M.P., late Chief Constructor of the British Navy, and EDWARD SIMPSON, Rear-Admiral U.S.N., late President of the U.S. Naval Advisory Board. With Supplementary Chapters and Notes by J. D. Jerrold Kelley, Lieutenant U.S.N. Illustrated. Square 8vo, Cloth, Ornamental, \$2 50.

This is the most valuable contribution yet made to the popular literature of modern navies. . . The whole country is indebted to the authors and to the publishers for a book on men-of-war that both in matter and make-up is without an equal.—N. Y. Herald.

IX.

Full, from beginning to end, with good stories.—Saturday Review, London.

MY AUTOBIOGRAPHY AND REMINISCENCES. By W. P. Frith, R.A. Portrait. 12mo, Cloth, \$1 50.

The whole round of English autobiography does not comprise a work more full of character, more rich in anecdote, or more fruitful in entertainment for the general reader. A delightful volume.—London Daily News.

NEGRO TROOPS IN THE REBELLION.

HISTORY OF THE NEGRO TROOPS IN THE WAR OF THE REBELLION. 1861-1865. By G. W. WILLIAMS, LL.D. Portrait. 8vo, Cloth, Ornamental, \$1 75.

Mr. Williams has written an excellent book. He was one of the gallant men whose patriotic deeds he commemorates, and he has made a careful study of all the best accessible records of their achievements. His people may well be proud of the showing.

—N. Y. Tribune.

\$500 A YEAR FOR A FAMILY.

FAMILY LIVING ON \$500 A YEAR. A Daily Reference Book for Young and Inexperienced Housewives. By Juliet Corson. 16mo, Cloth, Extra, \$1 25.

Miss Corson has rendered a valuable service by this book, in which she shows con-clusively how for five hundred dollars a plentiful, appetizing and varied diet can be furnished throughout the year to a family.—N. Y. Sun.

SOME RECENT FICTION.

Captain MacDonald's daughter. By Archibald Campbell. $_{\text{16mo}, \text{ Cloth}, \$r}$ oo.

 $N_{\text{Cloth, Extra, $\sharp 1 oo.}}^{\text{ARKA, THE NIHILIST.}}$ By Kathleen O'Meara. 1611100,

M. ABSALOM BILLINGSLEA, AND OTHER GEORGIAN FOLK. By R. M. Johnston. Illustrated. 16mo, Cloth, Extra, \$1 25.

A MAGNIFICENT PLEBEIAN. By JULIA MAGRUDER. 16mo, Cloth, Extra, \$1 00

A PRINCE OF THE BLOOD. By JAMES PAYN. 16mo, Cloth, 75 cents.

The above works are for sale by all booksellers, or will be sent by Harper & Brothers, postpaid, to any part of the United States and Canada on receipt of price. Catalogue sent on receipt of Ten Cents in postage stamps.

Published by HARPER & BROTHERS, New York.

GARDEN AND FOREST:

An Illustrated Weekly Journal of Horticulture, Landscape Art and Forestry.

GARDEN AND FOREST will be devoted to Horticulture in all its branches, Garden Botany, Dendrology and Landscape Gardening, and will discuss Plant Diseases and Insects injurious to vegetation.

Professor C. S. Sargent, of Harvard College, will have general editorial control of GARDEN AND FOREST.

Professor Wm. G. Farlow, of Harvard College, will have editorial charge of the Department of Cryptogamic Botany and Plant Diseases.

Professor A. S. PACKARD, of Brown University, will have editorial charge of the Department of Entomology.

Mr. WM. A. STILES will be the Managing Editor.

GARDEN AND FOREST will record all noteworthy discoveries and all progress in science and practice within its field at home and abroad. It will place scientific information clearly and simply before the public, and make available for the instruction of all persons interested in garden plants the conclusions reached by the most trustworthy investigators. Arrangements have been made to figure and describe new and little-known plants (especially North American) of horticultural promise. A department will be devoted to the history and description of ornamental trees and shrubs. New florists' flowers, fruits and vegetables will be made known, and experienced gardeners will describe practical methods of cultivation.

GARDEN AND FOREST will report the proceedings of the principal Horticultural Societies of the United States and the condition of the horticultural trade in the chief commercial centres of the country.

GARDEN AND FOREST, in view of the growing taste for rural life, and of the multiplication of country residences in all parts of the United States, especially in the vicinity of the cities and of the larger towns, will make a special feature of discussing the planning and planting of private gardens and grounds, small and large, and will endeavor to assist all who desire to make their home surroundings attractive and artistic. It will be a medium of instruction for all persons interested in preserving and developing the beauty of natural scenery. It will co-operate with Village Improvement Societies and every other organized effort to secure the proper ordering and maintenance of parks and squares, cemeteries, railroad stations, school grounds and roadsides. It will treat of Landscape Gardening in all its phases; reviewing its history and discussing its connection with architecture.

GARDEN AND FOREST will give special attention to scientific and practical Forestry in their various departments, including Forest Conservation and economic Tree Planting, and to all the important questions which grow out of the intimate relation of the forests of the country to its climate, soil, water supply and material development.

Original information on all these subjects will be furnished by numerous American and foreign correspondents.

Among those who have promised contributions to GARDEN AND FOREST are:

```
Among those who have promised contributions to GARDEN AND FOREST are:

Mr. Serbno Watson, Curator of the Herbarium, Harvard College.

Prof. Geo. L. Goodale, Harvard College.

Wolcott Gibes,

W. W. H. Brewer, Yale College.

D. G. Eaton,

W. W. M. J. Beal, Agricultural College of Michigan.

L. H. Bailey, Ir.,

E. W. Hildard, University of Pennsylvania.

C. H. B. L. H. Bailey, Ir.,

W. W. M. Trelease, Shaw School of Botany, St. Louis.

W. W. W. Bailey, Brown University.

E. A. Popenoe, Agricultural College, Kansas.

Raphael Pumpelly, United States Geological Survey.

W. M. R. Lazenby, Director New York State Survey.

W. W. Tracy, Detroit, Mich.

C. V. Riley, Washington, D. C.

Mr. Donald G. Mitchell, New Haven, Conn.

Frank, J. Scort, Toledo, O.

Hon. Adolphe Leué, Secretary of the Ohio Forestry Bureau.

B. G. Northrop, Clinton, Conn.

Mr. G. W. Hotchkiss, Secretary of the Lumber Manufacturers' Association.

Dr. C. L. Anderson, Survey Cal.
```

```
Dr. Karl Mohr, Mobile, Ala.

Hon. J. B. Walker, Forest Commissioner of New Hampshire.

Mr. Wm. Hamilton Gibson, Brooklyn, N. Y.

"Edgar T. Ensign, Forest Commissioner of Colorado.

"E. S. Carman, Editor of the Rural New Yorker.

"Wm. M. Canby, Wilmington, Del.

"John Robinson, Salem, Mass.

"J. D. Lyman, Exeter, N. H.

"Samuel Parsons, Jr., Superintendent of Central Park, N. Y.

"Wm. McMillan, Superintendent of Parks, Buffalo, N. Y.

"Sylvester Baxter, Boston.

"Charles Eliot, Boston.

"Charles Eliot, Boston.

"Charles Clot, Boston.

"Boben Lonsdale, Secretary of the New York Horticultural Society.

"Edwin Lonsdale, Secretary of the Philadelphia Horticultural Society.

"Robert Craig, President of the Philadelphia Florists' Club.

"Samuel B. Parsons, Flushing, N. Y.

"George Ellwanger, Rochester.

"P. H. Barry, Rochester.

"W. J. Stewart, Boston, Mass.

"W. A. Manda, Botanic Gardens, Cambridge, Mass.

"David Allan, Mount Vernon, Mass.

"W. A. Bornson, North Easton, Mass.

"W. M. Robinson, North Easton, Mass.

"A. H. Fewkes, Newton Highlands, Mass.

"F. Goldring, Kenwood, N. Y.

"C. M. Atkinson, Brookline, Mass.
```

Dr. Maxwell T. Masters, Editor of the Gardener's Chronicle.

Mr. Geo. Nicholson, Curator of the Royal Gardens, Kew.

Mr. B. Hemsley, Herbarium, Royal Gardens, Kew.

Mr. Max Leichtlin, Baden Baden.

Mr. Max Leichtlin, Baden Baden.

Mr. Max Leichtlin, Baden Baden.

Mr. Maxwell T. Masters, Editor of the Gardener's France.

Dr. G.M. Dawson, Geological Survey of Canada. Prof. John Macoun, """ dens, Montreal.

Mr. Max Leichtlin, Baden Baden.

Mr. Max Leichtlin, Baden Baden.

Mr. Little, Montreal.

Mr. J. Allard, Angers, Maine & Loire, France.

Dr. H. Mayr, University of Tokio, Japan.

Prof. D. P. Penhallow, Director of the Botanical Gardens, Montreal.

Mr. Wm. Saunders, Director of the Agricultural Experiment Station, Ontario.

Wm. Little, Montreal.

Single numbers, 10 cents. Subscription price, Four Dollars a year, in advance.

THE GARDEN AND FOREST PUBLISHING CO., Limited,

GARDEN AND FOREST.

PUBLISHED WEEKLY BY

THE GARDEN AND FOREST PUBLISHING CO.

OFFICE: TRIBUNE BUILDING, NEW YORK.

ENTERED AS SECOND-CLASS MATTER AT THE POST OFFICE AT NEW YORK, N. Y.

NEW YORK, WEDNESDAY, FEBRUARY 29, 1888.

TABLE OF CONTENTS.

EDITORIAL ARTICLES: -Asa Gray. The Gardener's Monthly. The White	
Pine in Europe	:
I he forests of the white Mountains	:
Landscape Gardening.—A DefinitionMrs. Schuyler Van Rensselaer.	:
Floriculture in the United States	:
How to Make a Lawn	- 3
Letter from London	4
A New Departure in Chrysanthemums	
New Plants from Afghanistan	- (
Uns rennis, with notice, Common Water	(
	(
wire neiting for free Chards	-
Althicial Water, with Inustration	
Some New Roses	- 1
Two Ferns and Their Treatment F. Goldring.	1
Timely Hills about BuildsJohn Thorpe.	-
Entomology:	
Arsenical Poisons in the Orchard	
THE FOREST:	
The White Pine in Europe	
Euronean Larch in Massachusetts	1
European Larch in Massachusetts. Thinning Pine Plantations. B. E. Fernow.	1
Book Reviews:	1
BOOK REVIEWS:	
Gray's Elements of Botany	1
Kansas Forest Trees Professor G. L. Goodale	1
Public Works:—The Falls of Minnehaha—A Park for Wilmington	Υ.
FLOWER MARKETS:—New York—Philadelphia—Boston	1
- maasipina-boston	1

Asa Gray.

THE whole civilized world is mourning the death of Asa Gray with a depth of feeling and appreciation perhaps never accorded before to a scholar and man of science.

To the editors of this Journal the loss at the very outset of their labors is serious indeed. They lose a wise and sympathetic adviser of great experience and mature judgment to whom they could always have turned with entire freedom and in perfect confidence; and they lose a contributor whose vast stores of knowledge and graceful pen might, it was reasonable to hope, have long enriched their columns.

The career of Asa Gray is interesting from many points of view. It is the story of the life of a man born in humble circumstances, without the advantages of early education, without inherited genius—for there is no trace in his yeo-man ancestry of any germ of intellectual greatness—who succeeded in gaining through native intelligence, industry and force of character, a position in the very front rank of the scientific men of his age. Among the naturalists who, since Linnæus, have devoted their lives to the description and classification of plants, four or five stand out prominently in the character and importance of their work. In this little group Asa Gray has fairly won for himself a lasting But he was something more than a mere syste-He showed himself capable of drawing broad philosophical conclusions from the dry facts he collected and elaborated with such untiring industry and zeal. This power of comprehensive generalization he showed in his paper upon the "Characters of Certain New Species of Plants Collected in Japan" by Charles Wright, published nearly thirty years ago. Here he first pointed out the extraordinary similarity between the Floras of Eastern North America and Japan, and then explained the peculiar distribution of plants through the northern hemisphere by tracing their

direct descent through geological eras from ancestors which flourished in the arctic regions down to the latest tertiary period. This paper was Professor Gray's most remarkable and interesting contribution to science. It at once raised him to high rank among philosophical naturalists and drew the attention of the whole scientific world to the Cambridge botanist.

Asa Gray did not devote himself to abstract science alone; he wrote as successfully for the student as for the professional naturalist. His long list of educational works have no equals in accuracy and in beauty and compactness of expression. They have had a remarkable influence upon the study of botany in this country during the half century which has elapsed since the first of the series appeared.

Botany, moreover, did not satisfy that wonderful intellect, which hard work only stimulated but did not weary, and one of Asa Gray's chief claims to distinction is the prominent and commanding position he took in the great intellectual and scientific struggle of modern times, in which, almost alone and single handed he bore in America the brunt of the disbelief in the Darwinian theory shared by most of the leading naturalists of the time.

But the crowning labor of Asa Gray's life was the preparation of a descriptive work upon the plants of North America. This great undertaking occupied his attention and much of his time during the last forty years of his life. Less fortunate than his greatest botanical contemporary, George Bentham, who turned from the last page of corrected proof of his work upon the genera of plants to the bed from which he was never to rise again, Asa Gray's great work is left unfinished. The two volumes of the "Synoptical Flora of North America" will keep his memory green, however, as long as the human race is interested in the study of plants.

But his botanical writings and his scientific fame are not the most valuable legacy which Asa Gray has left to the American people. More precious to us is the example of his life in this age of grasping materialism. It is a life that teaches how industry and unselfish devotion to learning can attain to the highest distinction and the most enduring fame. Great as were his intellectual gifts, Asa Gray was greatest in the simplicity of his character and in the beauty of his pure and stainless life.

It is with genuine regret that we read the announcement of the discontinuance of the Gardener's Monthly. It is like reading of the death of an old friend. Ever since we have been interested in the cultivation of flowers we have looked to the Monthly for inspiration and advice, and its pages have rarely been turned without finding the assistance we stood in need of. But, fortunately, the Gardener's Monthly, and its modest and accomplished editor, Mr. Thomas Meehan, were one and the same thing. It is Mr. Meehan's long editorial experience, high character, great learning and varied practical knowledge, which made the Gardener's Monthly what it was. These, we are happy to know, are not to be lost to us, as Mr. Meehan will, in a somewhat different field and with new associates, continue to delight and instruct the horticultural public.

Americans who visit Europe cannot fail to remark that in the parks and pleasure grounds of the Continent no coniferous tree is more graceful when young or more dignified at maturity than our White Pine. The notes of Dr. Mayr, of the Bavarian Forest Academy, in another column, testify that it holds a position of equal importance as a forest tree for economic planting. It thrives from Northern Germany to Lombardy, corresponding with a range of climate in this country from New England to Northern Georgia. It needs bright sunshine, however, and perhaps it is for lack of this that so few good specimens are seen in England. It was among the first of our trees to be introduced there, but it has been universally pronounced an indifferent grower.

The Forests of the White Mountains.

EW HAMPSHIRE is not a peculiarly wealthy State, but it has some resources scarcely equaled by The White Mountains, though those of any of its sisters. worth little to the farmer, are a piece of real estate which yields a sure and abundant income by attracting tourists and their money; and this revenue is certain to increase, unless blind mismanagement interposes. The White Mountains are at present unique objects of attraction: but they may easily be spoiled, and the yearly tide of tourists will thus be turned towards other points of interest whose owners have had more sense and foresight.

These mountains owe three-fourths of their charms to the primeval forest that still covers them. Speculators have their eyes on it, and if they are permitted to work their will the State will find a most productive piece of property sadly fallen in value. If the mountains are robbed of their forests they will become like some parts of the Pyrenees, which, though much higher, are without interest,

because they have been stripped bare.

The forests of the White Mountains have a considerable commercial value, and this value need not be sacrificed. When lumber speculators get possession of forests they generally cut down all the trees and strip the land at once, with an eye to immediate profit. The more conservative, and, in the end, the more profitable management, consists in selecting and cutting out the valuable timber when it has matured, leaving the younger growth for future use. This process is not very harmful to the landscape. It is practiced extensively in Maine, where the art of managing forests with a view to profit is better understood than elsewhere in this country. A fair amount of good timber may thus be drawn from the White Mountains, without impairing their value as the permanent source of a vastly greater income from the attraction they will offer to an increasing influx of tourists. At the same time the streams flowing from them, and especially the Pemigewasset, a main source of the Merrimac, will be saved from the alternate droughts and freshets to which all streams are exposed that take their rise in mountains The subject is one of the last imdenuded of forests. portance to the mill owners along these rivers.

F. Parkman.

Landscape Gardening.—A Definition.

SOME of the Fine Arts appeal to the ear, others to the eye. The latter are the Arts of Design, and they are usually named as three—Architecture, Sculpture and Painting. A man who practices one of these in any of its branches is an artist; other men who work with forms and colors are at the best but artisans. This is the popular belief. But in fact there is a fourth art which has a right to be rated with the others, which is as fine as the finest, and which demands as much of its professors in the way of creative power and executive skill as the most difficult. This is the art whose purpose it is to create beautiful com-

positions upon the surface of the ground.

The mere statement of its purpose is sufficient to establish its rank. It is the effort to produce organic beautyto compose a beautiful whole with a number of related parts—which makes a man an artist; neither the production of a merely useful organism nor of a single beautiful detail suffices. A clearly told story or a single beautiful word is not a work of art—only a story told in beautifully connected words. A solidly and conveniently built house, if it is nothing more, is not a work of architecture, nor is an isolated stone, however lovely in shape and surface. A delightful tint, a graceful line, does not make a picture; and though the painter may reproduce ugly models he must put some kind of beauty into the reproduction if it is to be esteemed above any other manufactured article—if not beauty of form, then beauty of color or of meaning or at least of execution. Similarly, when a man disposes the surface of the soil with an eye to crops alone he is an agriculturist; when he grows plants for their beauty as isolated objects he is a horticulturist; but when he disposes ground and plants together to produce organic beauty of effect, he is an artist with the best.

Yet though all the fine arts are thus akin in general purpose they differ each from each in many ways. And in the radical differences which exist between the landscapegardener's and all the others we find some reasons why its affinity with them is so commonly ignored. One difference is that it uses the same materials as nature herself. In what is called "natural" gardening it uses them to produce effects which under fortunate conditions nature might produce without man's aid. Then, the better the result, the less likely it is to be recognized as an artificial—artistic—result. The more perfectly the artist attains his aim, the more likely we are to forget that he has been at work. In "formal" gardening, on the other hand, nature's materials are disposed and treated in frankly unnatural ways; and then—as a more or less intelligent love for natural beauty is very common to-day, and an intelligent eye for art is rare—the artist's work is apt to be resented as an impertinence, denied its right to its name, called a mere contorting and disfiguring of his materials.

Again, the landscape-gardener's art differs from all others in the unstable character of its productions. When surfaces are modeled and plants arranged, nature and the artist must work a long time together before the true result appears; and when once it has revealed itself, day to day attention will be forever needed to preserve it from the deforming effects of time. It is easy to see how often neglect or interference must work havoc with the best intentions, how often the passage of years must travesty or destroy the best results, how rare must be the cases in which a work of landscape art really does justice to its

Still another thing which affects popular recognition of the art as such is our lack of clearly understood terms by which to speak of it and of those who practice it. "Gardens" once meant pleasure-grounds of every kind and "gardener" then had an adequately artistic sound. But as the significance of the one term has been gradually specialized, so the other has gradually come to denote a mere grower of plants. "Landscape gardener" was a title first used by the artists of the eighteenth century to mark the new tendency which they represented—the search for "natural" as opposed to "formal" beauty; and it seemed to them to need an apology as savoring, perhaps, of grandiloquence or conceit. But as taste declined in England it was assumed by men who had not the slightest right, judged either by their aims or by their results, to be considered artists; and to-day it is fallen into such disesteem that it is often replaced by "landscape architect." This title has French usage to support it and is in many respects a good one. But its correlative—"landscape architecture"—is unsatisfactory; and so, on the other hand, is "landscape artist," though "landscape art" is an availant approach to the control of the excellent generic term. Perhaps the best we can do is to keep to "landscape gardener," and try to remember that it ought always to mean an artist and an artist only.

M. G. van Rensselaer.

Floriculture in the United States.

T the beginning of the present century, it is not probable that there were 100 florists in the United States, and their combined green-house structures could not have exceeded 50,000 square feet of glass. are now more than 10,000 florists distributed through every State and Territory in the Union and estimating 5,000 square feet of glass to each, the total area would be 50,000,000 feet, or about 1,000 acres of green-houses. The value of the bare structures, with heating apparatus, at 60 cents per square foot would be \$30,000,000, while the stock of plants grown in them would not be less than

twice that sum. The present rate of growth in the business is about 25% per annum, which proves that it is keeping well abreast of our most flourishing industries.

The business, too, is conducted by a better class of men. No longer than thirty years ago it was rare to find any other than a foreigner engaged in commercial floriculture. These men had usually been private gardeners, who were mostly uneducated, and without business habits. But to-day, the men of this calling compare favorably in intelligence and business capacity with any mercantile class.

Floriculture has attained such importance that it has taken its place as a regular branch of study in some of our agricultural colleges. Of late years, too, scores of young men in all parts of the county have been apprenticing themselves to the large establishments near the cities, and already some of these have achieved a high standing; for the training so received by a lad from sixteen to twenty, better fits him for the business here than ten years of European experience, because much of what is learned there would prove worse than useless here. The English or German florist has here to contend with unfamiliar conditions of climate and a manner of doing business that is novel to him. Again he has been trained to more deliberate methods of working, and when I told the story a few years ago of a workman who had potted 10,000 cuttings in two inch pots in ten consecutive hours, it was stigmatized in nearly every horticultural magazine in Europe as a piece of American bragging. As a matter of fact this same workman two years later, potted 11,500 plants in ten hours, and since then several other workmen have potted plants at the rate of a thousand per hour all day long.

Old world conservatism is slow to adopt improvements. The practice of heating by low pressure steam will save in labor, coal and construction one-fifth of the expense by old methods, and nearly all the large green-house establishments in this country, whether private or commercial, have been for some years furnished with the best apparatus. But when visiting London, Edinburgh and Paris in 1885, I neither saw nor heard of a single case where steam had been used for green-house heating. The stress of competition here has developed enterprise, encouraged invention and driven us to rapid and prudent practice, so that while labor costs at least twice as much as it does in Europe, our prices both at wholesale and retail, are lower. And yet I am not aware that American florists complain that their profits compare unfavorably with those of their brethren

Commercial floriculture includes two distinct branches, one for the production of flowers and the other for the production of plants. During the past twenty years the growth in the flower department of the business has outstripped the growth of the plant department. The increase in the sale of Rosebuds in winter is especially noteworthy. At the present time it is safe to say that one-third of the entire glass structures in the United States are used for this purpose; many large growers having from two to three acres in houses devoted to Roses alone, such erections costing from \$50,000 to \$100,000 each, according to the style in which they are built.

More cut flowers are used for decoration in the United States than in any other country, and it is probable that there are more flowers sold in New York than in London with a population four times as great. In London and Paris, however, nearly every door-yard and window of city and suburb show the householder's love for plants, while with us, particularly in the vicinity of New York (Philadelphia and Boston are better), the use of living plants for home decoration is far less general.

There are fashions in flowers, and they continually nange. Thirty years ago thousands of Camellia flowers were retailed in the holiday season for \$1 each, while Rosebuds would not bring a dime. Now, many of the fancy Roses sell at \$1 each, while Camellia flowers go begging at ten cents. The Chrysanthemum is now rivaling the Rose, as well it may, and no doubt every decade will see

the rise and fall of some floral favorite. But beneath these flitting fancies is the substantial and unchanging love of flowers that seems to be an original instinct in man, and one that grows in strength with growing refinement. Fashion may now and again condemn one flower or another, but the fashion of neglecting flowers altogether will never prevail, and we may safely look forward in the expectation of an ever increasing interest and demand, steady improvement in methods of cultivation, and to new and attractive developments in form, color and fragrance.

Peter Henderson.

How to Make a Lawn.

66 SMOOTH, closely shaven surface of grass is by far the most essential element of beauty on the grounds of a suburban home." This is the language of Mr. F. J. Scott, and it is equally true of other than suburban grounds. A good lawn then is worth working for, and if it have a substantial foundation, it will endure for generations, and improve with

We take it for granted that the drainage is thorough, for no one would build a dwelling on water soaked land. No labor should be spared in making the soil deep, rich and fine in the full import of the words, as this is the stock from which future dividends of joy and satisfaction are to be drawn. Before grading, one should read that chapter of Downing's on "The Beauty in Ground." This will warn against terracing or leveling the whole surface, and insure a contour with "gentle curves and undulations," which is essential to the best effects.

If the novice has read much of the conflicting advice in books and catalogues, he is probably in a state of bewilderment as to the kind of seed to sow. And when that point is settled it is really a difficult task to secure pure and living seeds of just such species as one orders. Rarely does either seller or buyer know the grasses called for, especially the finer and rarer sorts; and more rarely still does either know their seeds. The only safe way is to have the seeds tested by an expert. Mr. J. B. Olcott, in a racy article in the "Report of the Connecticut Board of Agriculture for 1886," says, "Fifteen years ago nice people were often sowing timothy, red top and clover for door-yards, and failing wretchedly with lawn-making, while seedsmen and gardeners even disputed the identity of our June grass and Kentucky blue-grass.

We have passed beyond that stage of ignorance, however; and to the question what shall we sow, Mr. Olcott replies: "Rhode Island bent and Kentucky blue-grass are their foolish trade names, for they belong no more to Kentucky or Rhode Island than to other Northern States. Two sorts of fine Island than to other Northern States. Two sorts of fine Agrostis are honestly sold under the trade name of Rhode Island bent, and, as trade goes, we may consider ourselves lucky if we get even the coarser one. The finest—a little the lucky if we get even the coarser one. The finest—a little the finest—Agrostis canina—is a rather rare, valuable, and elegant grass, which should be much better known by grass farmers, as well as gardeners, than it is. These are both good lawn as well as pasture grasses." The grass usually sold as Rhode Island bent is Agrostis vulgaris, the smaller red top of the East and of Europe. This makes an excellent lawn. Agrostis canina has a short, slender, projecting awn from one of the glumes; Agrostis vulgaris lacks this projecting awn. In neither case have we in mind what Michigan and New York people call red top. This is a tall, coarse navive grass often quite abundant on low lands, botanically Agrostis alba.

Sow small red top or Rhode Island bent, and June grass (Kentucky blue grass, if you prefer that name), Poa pratensis. If in the chaff, sow in any proportion you fancy, and in any quantity up to four bushels per acre. If evenly sown, less will answer, but the thicker it is sown the sooner the ground will be covered with fine green grass. We can add nothing else that will improve this mixture, and either alone is about as good as both. A little white clover or sweet vernal grass or sheep's fescue may be added, if you fancy them, but they will not improve the appearance of the lawn. Roll the ground after seeding. Sow the seeds in September or in March or April, and under no circumstance yield to the advice to sow a little oats or rye to "protect the young grass." Instead of protecting, they will rob the slender grasses of what they most need.

Now wait a little. Do not be discouraged if some ugly weeds get the start of the numerous green hairs which slowly follow. As soon as there is any thing to be cut, of weeds or grass, mow closely, and mow often, so that nothing need be raked from the ground. As Olcott puts it, "Leave one crop where it belongs for home consumption. The rains will wash the soluble substance of the wilted grass into the earth to feed the growing roots." During succeeding summers as the years roll on, the lawn should be perpetually enriched by the leaching of the short leaves as they are often mown. Neither leave a very short growth nor a very heavy growth for winter. Experience alone must guide the owner. If cut too closely, some of it may be killed or start too late in spring; if left too high during winter, the dead long grass will be hard to cut in spring and leave the stubble unsightly. After passing through one winter the annual weeds will have perished and leave the grass to take the lead. Perennial weeds should be faithfully dug out or destroyed in some way.

Every year, add a top dressing of some commercial fertilizer or a little finely pulverized compost which may be brushed in. No one will disfigure his front yard with coarse manure spread on the lawn for five months of the year.

manure spread on the lawn for five months of the year.

If well made, a lawn will be a perpetual delight as long as the proprietor lives, but if the soil is thin and poor, or if the coarser grasses and clovers are sown instead of those named, he will be much perplexed, and will very likely try some expensive experiments, and at last plow up, properly fit the land and begin over again. This will make the cost and annoyance much greater than at first, because the trees and shrubs have already filled many portions of the soil. A small piece, well made and well kept, will give more satisfaction than a larger plot of inferior turf.

W. J. Beal.

Horticultural Exhibitions in London.

At a late meeting of the floral committee of the Royal Horticultural Society at South Kensington among many novelties was a group of seedling bulbous Calanthes from the garden of Sir Trevor Lawrence, who has devoted much attention to these plants and has raised some interesting hybrids. About twenty kinds were shown, ranging in color from pure white to deep crimson. The only one selected for a first-class certificate was *C. sanguinaria*, with flowers similar in size and shape to those of *C. Veitchii*, but of an intensely deep crimson. It is the finest yet raised, surpassing *C. Sedeni*, hitherto unequaled for richness of color. The pick of all these seedlings would be *C. sanguinaria*, *C. Veitchii splendens*, *C. lactea*, *C. nivea*, and *C. porphyrea*. The adjectives well describe the different tints of each, and they will be universally popular when once they find their way into commerce.

Cypripedium Leeanum maculatum, also shown by Sir Trevor Lawrence, is a novelty of sterling merit. The original C. Leeanum, which is a cross between C. Spicerianum and C. insigne Maulei, is very handsome, but this variety eclipses it, the dorsal sepal of the flower being quite two and one-half inches broad, almost entirely white, heavily and copiously spotted with purple. It surpasses also C. Leeanum superbum, which commands such high prices. I saw a small plant sold at auction lately for fifteen guineas and the nursery price is much higher.

Lælia anceps Schræderæ is the latest addition to the now very numerous list of varieties of the popular L. anceps. This new form, to which the committee with one accord gave a first class certificate, surpasses in my opinion all the colored varieties, with the possible exception of the true old Barkeri. The flowers are of the average size and ordinary form. The sepals are rose pink, the broad sepals very light, almost white in fact, while the labellum is of the deepest and richest velvety crimson imaginable. The golden tipped crest is a veritable beauty spot, and the pale petals act like a foil to show off the splendor of the lip.

Two new Ferns of much promise received first class certificates. One named Pteris Claphamensis is a chance seedling and was found growing among a lot of other sporelings in the garden of a London amateur. As it partakes of the characters of both P. tremula and P. serrulata, old and well known ferns, it is supposed to be anatural cross between these. The new plant is of tufted growth, with a dense mass of fronds about six inches long, elegantly cut and gracefully recurved on all sides of the pot. It is looked upon by specialists as just the sort of plant that will take in the market. The other certificated fern, Adiantum Regina, is a good deal like A. Victoria and is supposed to be a sport from it. But A. Regina, while it has broad pinnæ of a rich emerald green like A. Victoria, has fronds from nine to twelve inches long, giving it a lighter and more elegant appearance. I don't know that the Victoria Maidenhair is grown in America yet, but I am sure those who do floral decorating will welcome it as well as the newer A. Regina. A third Maidenhair of a similar character is A. rhodophyllum and these form a trio that will become the standard

kinds for decorating. The young fronds of all three are of a beautiful coppery red tint, the contrast of which with the emerald green of the mature fronds is quite charming. They are warm green-house ferns and of easy culture, and are supposed to be hybrid forms of the old *A. scutum*.

Nerine Mansellii, a new variety of the Guernsey Lily, was one of the loveliest flowers at the show. From the common Guernsey Lily it differs only in color of the flowers. These have crimpled-edged petals of clear rose tints; and the umbel of flowers is fully six inches across, borne on a stalk eighteen inches high. These Guernsey Lilies have of recent years come into prominence in English gardens since so many beautiful varieties have been raised, and as they flower from September onward to Christmas they are found to be indispensable for the green-house, and indoor decoration. The old N. Fothergillii major, with vivid scarlet-crimson flowers and crystalline cells in the petals which sparkle in the sunlight like myriads of tiny rubies, remains a favorite among amateurs. Baron Schröeder, who has the finest collection in Europe, grows this one only in quantity. An entire house is filled with them, and when hundreds of spikes are in bloom at once, the display is singularly brilliant.

A New Vegetable, a Japanese plant called Choro-Gi, belonging to the Sage family, was exhibited. Its botanical name is Stachys tuberifera and it was introduced first to Europe by the Vilmorins of Paris under the name of Crosnes du Japon. The edible part of the plant is the tubers, which are produced in abundance on the tips of the wiry fibrous roots. These are one and a half inches long, pointed at both ends, and have prominent raised rings. When washed they are as white as celery and when eaten raw taste somewhat like Jerusalem artichokes, but when cooked are quite soft and possess the distinct flavor of boiled chestnuts. A dish of these tubers when cooked look like a mass of large caterpillars, but the Committee pronounced them excellent, and no doubt this vegetable will now receive attention from some of our enterprising seedsmen and may become a fashionable vegetable because new and unlike any common kind. The tubers were shown now for the first time in this country by Sir Henry Thompson, the eminent surgeon. The plant is herbaceous, dying down annually leaving the tubers, which multiply very rapidly. They can be dug at any time of the year, which is an advantage. The plant is perfectly hardy here and would no doubt be so in the United States, as it remains underground in winter. [A figure of this plant with the tubers appeared in the Gardener's Chronicle, January 7th, 1888.—Ed.]

Phalænopsis F. L. Ames, a hybrid moth orchid, the result of intercrossing P. grandiflora of Lindley with P. intermedia Portei (itself a natural hybrid between the little P. rosea and P. amabilis), was shown at a later exhibition. The new hybrid is very beautiful. It has the same purplish green leaves as P. amabilis, but much narrower. The flower spikes are produced in the same way as those of P. grandiflora, and the flowers in form and size resemble those of that species, but the coloring of the labellum is more like that of its other parent. The sepals and petals are pure white, the latter being broadest at the lips. The labellum resembles that of P. intermedia, being three-lobed, the lateral lobes are erect, magenta purple in color and freckled. The middle or triangular lobe is of the same color as the lateral lobes, but pencilled with longitudinal lines of crimson, flushed with orange, and with the terminal cirrhi of a clear magenta. The column is pink, and the crest is adorned with rosy speckles. The Floral Committee unanimously awarded a first-class certificate of merit to the plant.

A New Lælia named L. Gouldiana has had an eventful history. The representative of Messrs. Sander, of St. Albans, the great orchid importers, while traveling in America saw it blooming in New York, in the collection of Messrs. Siebrecht & Wadley, and noting its distinctness and beauty bought the stock of it. The same week another new Lælia flowered in England and was sent up to one of the London auction rooms for sale. As it so answered the description of the American novelty which Messrs. Sander had just secured it was bought for the St. Albans collection, and now it turns out that the English novelty and the American novelty are one and the same thing, and a comparison of dates shows that they flowered on the same day, although in different hemispheres. As, however, it was first discovered in the United States, it is intended to call it an American orchid, and that is why Mr. Jay Gould has his name attached to it. In bulband leaf the novelty closely resembles L. albida, and in flower both L. anceps and L. autumnalis. The flowers are as large as those of an average form of L. anceps, the sepals are rather narrow, the petals as broad as those of L.




Fig. 1.—Chrysanthemum—Mrs. Alpheus Hardy.

anceps Dawsoni, and both petals and sepals are of a deep rose anceps Dawsom, and both petals and sepals are of a deep rose pink, intensified at the tips as if the color had collected there and was dripping out. The tip is in form between that of L. anceps and L. autumnalis and has the prominent ridges of the latter, while the color is a rich purple crimson. The black viscid pubescence, always seen on the ovary of L. autumnalis, is present on that of L. Gouldiana. The plants I saw in the orchid nursery at St. Albans lately, bore several spikes, some having three or four flowers. Those who have seen it are puralled about its origin some considering it a hybrid be puzzled about its origin, some considering it a hybrid between L. anceps and L. autumnalis, others consider it a distinct species and to the latter opinion I am inclined. Whatever its origin may be, it is certain we have a charming addition to midwinter flowering orchids.

W. Goldring.

A New Departure in Chrysanthemums.

HE Chrysanthemum of which the figure gives a good rep-THE Chrysanthemum of which the figure gives a good representation is one of a collection of some thirty varieties lately sent from Japan to the lady for whom it has been named, Mrs. Alpheus Hardy of Boston, by a young Japanese once a protégé of hers, but now returned as a teacher to his native country. As may be seen, it is quite distinct from any variety known in this country or Europe, and the Japanese botanist Miyabe, who saw it at Cambridge, pronounces it a radical departure from any with which he is acquainted.

The photograph from which the engraving was made was taken just as the petals had begun to fall back from the cen-


taken just as the petals had begun to fall back from the centre, showing to good advantage the peculiarities of the variety.

The flower is of pure white, with the firm, long and broad petals strongly incurved at the extremities. Upon the back or

outer surface of this incurved portion will be found, in the form of quite prominent hairs, the peculiarity which makes

this variety unique.

These hairs upon close examination are found to be a glandular outgrowth of the epidermis of the petals, multi-cellular in structure and with a minute drop of a yellow resinous substance at the tip. The cells at first conform to the wavy character of those of the epidermis, but gradually become prismatic with straight walls, as shown in the engraving of one of the hairs, which was made from a drawing furnished by Miss Grace Cooley, of the Department of Botany at Wellesley College, who made a microscopic investigation of them.



This Chrysanthemum was exhibited at the Boston Chrysanthemum Show last December by Edwin Fewkes & Son of Newton Highlands, Mass.

A. H. Fewkes. Newton Highlands, Mass.

New Plants from Afghanistan.

Arnebia cornuta.—This is a charming novelty, an annual, native of Afghanistan. The little seedling with lancet-like hairy, dark green leaves, becomes presently a widely branching plant two feet in diameter and one and one-half feet high. Each branch and branchlet is terminated by a lengthening raceme of flowers. These are in form somewhat like these These are in form somewhat like those raceme of flowers. of an autumnal Phlox, of a beautiful deep golden yellow color, adorned and brightened up by five velvety black blotches. These blotches soon become coffee brown and lose more and more their color, until after three days they have entirely disappeared. During several months the plant is very showy, the fading flowers being constantly replaced by fresh expanding ones. Sown in April in the open border, it needs no care but to be thinned out and kept free from weeds. It must, however, have some soil which does not contain fresh manure.

Delphinium Zalil.—This, also, is a native of Afghanistan, but its character, whether a biennial or perennial, is not yet ascertained. The Afghans call it Zalil and the plant or root is used for dyeing purposes. Some years ago we only knew blue, white and purple larkspurs, and then California added two species with scarlet flowers. The above is of a beautiful sulphur yellow, and, all in all, it is a plant of remarkable beauty. The Afghans call it Zalil and the plant or root is used From a rosette of much and deeply divided leaves, rises a branched flower stem to about two feet; each branch and branchlet ending in a beautiful spike of flowers each of about an inch across and the whole spike showing all its flowers open at once. It is likely to become a first rate standard plant of our gardens. To have it in flower the very first year it must be sown very early, say in January, in seed pans, and transplanted later, when it will flower from the end of May until the end of July. Moreover, it can be sown during spring and summer in the open air to flower the following year. It is quite hardy here.
Baden-Baden. Max Leichtlin.

Iris tenuis.*

THIS pretty delicate species of Iris, Fig. 3, is a native of the Cascade Mountains of Northern Oregon. Its long branching rootstocks are scarcely more than a line in thickness, sending up sterile leafy shoots and slender stems about a foot high. The leaves are thin and pale green, rather taller than the stems, sword-shaped and half an inch broad or more. The leaves of the stem are bract-like and distant, the upper one or two sub-tending slender peduncles. The spathes are short, very thin tending slender peduncles.

and scarious, and enclose the bases of their rather small solitary flowers, which are "white, lightly striped and blotched with yellow and purple." The sepals and petals are oblongspatulate, from a short tube, the sepals spreading, the shorter petals erect and notched.

The peculiar habitat of this species doubtless accounts in good measure for its slender habit and mode of growth. Mr. L. F. Henderson, of Portland, Oregon, who discovered it in 1881, near a branch of the Clackamas River called Eagle Creek, about thirty miles from Portland, reports it as growing in the fir forests in broad mats, its very long rootstocks running along near the surface of the ground, just covered by moss or partly decayed fir-needles, with a light addition of soil. also would indicate the need of special care and treatment in its cultivation. In May, 1884, Mr. Henderson took great pains to procure roots for the Botanic Garden at Cambridge, which were received in good order, but which did not survive the next winter. If taken up, however, later in the season or very early in the spring, it is probable that with due attention to soil and shade there would be little trouble in cultivating it successfully. The accompanying figure is from a drawing by Mr. C. E. Faxon.

Sereno Watson.

Hardy Shrubs for Forcing.

SHRUBS for forcing should consist of early blooming kinds only. The plants should be stocky, young and healthy, well-budded and well-ripened, and in order to have first-class stock they should be grown expressly for forcing. For cut flower purposes only, we can lift large plants of Lilacs, Snowballs, Deutzias, Mock oranges and the like with all the ball of receive we can get to them and plant at once in forcing-houses. roots we can get to them and plant at once in forcing-houses. But this should not be done before New Year's. We should We should prepare for smaller plants some months ahead of forcing time, say in the preceding April or August, by lifting them and planting in small pots, tubs or boxes as can conveniently contain their roots, and we should encourage them to root well before winter sets in. Keep them out of doors and plunged till after the leaves drop off; then either mulch them where they are or bring them into a pit, shed or cool cellar, where there shall be no fear of their getting dry, or of having the roots fastened in by frost. Introduce them into the green-house in succession; into a cool green-house at first for a few weeks, then as they begin to start, into a warmer one. From the time they are brought into the green-house till the flowers begin to open give a sprinkling overhead twice a day with tepid water. When they have done blooming, if worth keeping over for another time, remove them to a cool house and thus gradually harden them off, then plant them out in the garden in May, and give them two years' rest.

Shrubs to be forced for their cut flowers only should consist of such kinds as have flowers that look well and keep well after being cut. Among these are Deutzia gracilis, common Lilacs of various colors, Staphyllea Colchica, Spiraa Cantonmon Litacs of various colors, Staphyleta Cut had, Spir tea Canton-ensis (Reevesii) single and double, the Guelder Rose, the Japanese Snowball and Azalea mollis. To these may be added some of the lovely double-flowering and Chinese apples, whose snowy or crimson-tinted buds and leafy twigs are very pretty. The several double-flowered forms of *Prunus triloba* are also desirable, but a healthy stock is hard to get. Andromeda floribunda and A. Faponica set their flower buds the previous summer for the next year's flowers, and are, therefore, like the Laurestinus, easily forced into bloom after New Year's. Hardy and half-hardy Rhododendrons with very little forcing may be had

in bloom from March.

In addition to the above, for conservatory decoration we may introduce all manner of hardy shrubs. Double flowering peach and cherry trees are easily forced and showy while they last. Clumps of *Pyrus arbutifolia* can easily be had in bloom in March, when their abundance of deep green leaves is an additional charm to their profusion of hawthorn-like flowers. The Chinese *Xanthoceras* is extremely copious and showy, but of brief duration and ill-fitted for cutting. Bushes of yellow Broom and double-flowering golden Furze can easily be had after January. *Jasminum nudiflorum* may be had in bloom from November till April, and Forsythia from January. They look well when trained up to pillars. The early-flower-In addition to the above, for conservatory decoration we They look well when trained up to pillars. The early-flowering Clematises may be used to capital advantage in the same way, from February onward. Although the Mahonias flower well, their foliage at blooming time is not always comely. Out-of-doors the American Red-bud makes a handsomer tree than does the Japanese one; but the latter is preferable for green-house work, as the flowers are bright and the smallest plants bloom. The Chinese Wistaria blooms as well in the

I. TENUIS, Watson, *Proc. Amer. Acad.*, xvii. 380. Rootstock elongated, very slender (a line thick); leaves thin, ensiform, about equaling the stems, four to eight lines broad; stems scarcely a foot high, 2=3-flowered, with two or three bract-like leaves two or three inches long; lateral peduncles very slender, as long as the bracts; spathes scarious, an inch long; pedicels solitary, very short; flowers small, white marked with yellow and purple; tube two or three lines long; segments oblong-spatulate, the sepals spreading, one and one-half inches long, the petals shorter and emarginate; anthers as long as the filaments; styles with narrow entire crests; capsule oblong-ovate, obtuse, nine lines long

green-house as it does outside; indeed, if we introduce some branches of an out-door plant into the green-house, we can have it in bloom two months ahead of the balance of the vine still left out-of-doors. about we grow Wistarias as standards, and they bloom magnificently. What a sight a big standard wistaria in the greenhouse in February would be! Among other shrubs may be mentioned Shadbush, African Tamarix, Daphne of sorts and Exochorda. We have also a good many barely hardy plants that may be wintered well in a cellar or cold pit, and forced into bloom in early spring. Among these are Japanese Privet, Pittosporum, Raphiolepis, Hydrangeas and the like.

And for conservatory decoration we can also use with excellent advantage some of our fineleaved shrubs, for instance our lovely Japanese Maples and variegated Box Elder.
Glen Cove, N. Y. Wm. Falconer.

Plant Notes.

A Half-hardy Begonia.-When botanizing last September upon the Cordilleras of North Mexico some two hundred miles south of the United States Boundary, I found growing in black mould of shaded ledges—even in the thin humus of mossy rocks—at an elevation of 7,000 to 8,000 feet, a plant of striking beauty, which Mr. Sereno Watson identifies as Begonia gracilis, HBK., var. Martiana, A. DC. From a small tuberous root it sends up to a height of one to two feet a single crimson-tinted stem, which terminates in a long raceme of scarlet flowers, large for the genus and long enduring. The plant is still further embellished by clusters of scarlet gemmæ in the axils of its leaves. Mr. Watson writes: "It was in cultivation fifty years and more ago, but has probably been long ago lost. It appears to be the most northern species of the genus, and should be the most hardy." Certainly the earth freezes and snows fall in the high region, where it is at

Northern Limit of the Dahlia .--In the same district, and at the same elevation, I met with a purple flowered variety of Dahlia coccinea, Cav. It was growing in patches under oaks and pines in thin dry soil of summits of hills. In such exposed situations the roots must be subjected to some frost, as much certainly as under a light covering of leaves in a northern garden. The Dahlia has not before been reported, as I be-The Dahlia has not lieve, from a latitude nearly so high.

C. G. Pringle.

Ceanothus is a North Ameri-Tea, and Red Root (C. Americanus and C. ovatus), and in the




Fig. 3.—Iris tenuis.—See page 6.

West and South-west by some thirty additional species. eral of these Pacific species are quite handsome and well worthy of cultivation where they will thrive. Some of the more interesting of them are figured in different volumes of the Botanical Magazine, from plants grown at Kew, and I believe that the genus is held in considerable repute by French gardeners.

In a collection of plants made in Southern Oregon, last spring, by Mr. Thomas Howell, several specimens of Ceanothus occur which are pretty clearly hybrids between *C. cuneatus* and C. prostratus, two common species of the region. Some have the spreading habit of the latter, their flowers are of the bright blue color characteristic of that species, and borne on slender blue pedicels in an umbellike due pedicels, in an umbel-like cluster. But while many of their leaves have the abrupt threetoothed apex of *C. prostratus*, all gradations can be found from this form to the spatulate, toothless leaves of C. cuneatus. Other specimens have the more rigid habit of the latter species, and their flowers are white or nearly so, on shorter pale pedicels, in usually smaller and denser clusters. On these plants the leaves are commonly those of *C. cuneatus*, but they pass into the truncated and toothed form proper to C. prostratus.

According to Focke (Pflanzenmischlinge, 1881, p. 99), the French cross one or more of the blue-flowered Pacific Coast species on the hardier New Jersey Tea, a practice that may perhaps be worthy of trial by American gardeners. Have any of the readers of Garden and FOREST ever met with spontaneous hybrids?

W. Trelease.

Wire Netting for Tree Guards.

On some of the street trees of Washington heavy galvanized wire netting is used to protect the bark from injury by horses. It is the same material that is used for enclosing poultry yards. It comes in strips five or six feet wide, and may be cut to any length required by the size of the tree. The edges are held in place by bending together the cut ends of the wires, and the whole is be an effective protection and is less unsightly than any other of which I know, in fact it can hardly be distinguished at the distance of a few rods.

Land the distance of the red of t the old guards were removed.


Artificial Water.

ONE of the most difficult parts of a landscape gardener's work is the treatment of what our grandfathers called "pieces of water" in scenes where a purely natural effect is desired. The task is especially hard when the stream, pond or lake has been artificially formed; for then Nature's processes must be simulated not only in the planting but in the shaping of the shores. Our illustration partially reveals a successful effort of this sort—a pond on a country-seat near Boston.

It was formed by excavating a piece of swamp and damming a small stream which flowed through it. In the distance towards the right the land lies low by the water and gradually rises as it recedes. Opposite us it forms little wooded promontories with grassy stretches between. Where we stand it is higher, and beyond the limits of the picture to the left it forms suited to their place and in harmony with each other; and all the contours of the shore are gently modulated and softly connected with the water by luxuriant growths of water plants. The witness of the eye alone would persuade us that Nature unassisted had achieved the whole result. But beauty of so suave and perfect a sort as this is never a natural product. Nature's beauty is wilder if only because it includes traces of mutation and decay which here are carefully effaced. Nature suggests the ideal beauty, and the artist realizes it by faithfully working out her suggestions.

Some New Roses.

THE following list comprises most of the newer Roses that have been on trial to any extent in and about Philadelphia during the present winter:



A Piece of Artificial Water.

a high, steep bank rising to the lawn, on the further side of which stands the house. The base of these elevated banks and the promontories opposite are planted with thick masses of rhododendrons, which flourish superbly in the moist, peaty soil, protected, as they are, from drying winds by the trees and high ground. Near the low meadow a long stretch of shore is occupied by thickets of hardy azaleas. Beautiful at all seasons, the pond is most beautiful in June, when the rhododendrons are ablaze with crimson and purple and white, and when the yellow of the azalea-beds—discreetly separated from the rhododendrons by a great clump of low-growing willows—finds delicate continuation in the buttercups which fringe the daisied meadow. The lifted banks then afford particularly fortunate points of view; for as we look down upon the rhododendrons, we see the opposite shore and the water with its rich reflected colors as over the edge of a splendid frame. No accent of artificiality disturbs the eye despite the unwonted profusion of bloom and variety of color. All the plants are

Puritan (H. T.) is one of Mr. Henry Bennett's seedlings, and perhaps excites more interest than any other. It is a cross between Mabel Morrison and Devoniensis, creamy white in color and a perpetual bloomer. Its flowers have not opened satisfactorily this winter. The general opinion seems to be that it requires more heat than is needed for other forcing varieties. Further trial will be required to establish its merit.

Meteor (H. T., Bennett.)—Some cultivators will not agree with me in classing this among hybrid Teas. In its manner of growth it resembles some Tea Roses, but its coloring and scanty production of buds in winter are indications that there is Hybrid Remontant blood in it. It retains its crimson color after being cut longer than any Rose we have, and rarely shows a tendency to become purple with age, as other varieties of this color are apt to do. For summer blooming under glass it will prove satisfactory. In winter its coloring is a rich velvety crimson, but as the sun gets stronger it assumes a more lively shade.

Mrs. John Laing (H. R., Bennett,) is a seedling from Francois Michelon, which it somewhat resembles in habit of growth and color of flower. It is a free bloomer out-of-doors in summer and forces readily in winter. Blooms of it have been offered for sale in the stores here since the first week in December. It is a soft shade of pink in color, with a delicate lilac tint. It promises to become a general favorite, as in addition to the qualities referred to, it is a free autumnal bloomer outside. For forcing it will be tried extensively next winter.

Princess Beatrice (T., Bennett,) was distributed for the first time in this country last autumn, but has so far been a disappointment in this city. But some lots arrived from Europe tree lets and minfortunes befull others so that the trial can

too late and misfortunes befell others, so that the trial can hardly be counted decisive, and we should not hastily condemn it. Some have admired it for its resemblance, in form of flower, to a Madame Cuisin, but its color is not just what we need. In shade, it comewhat meanthles Counted but it and In shade it somewhat resembles Sunset, but is not so effective. It may, however, improve under cultivation, as some other Roses have done; so far as I know it has not been tried out-of-doors.

Papa Gontier (H. B., Nabonnaud.)—This, though not properly a new rose, is on trial for the first time in this city. It has become a great favorite with growers, retailers and purchasers. In habit it is robust and free blooming, and in coloring, though similar to Bon Silene, is much deeper or darker. There seems to be a doubt in some quarters as to whether it blooms as freely as Bon Silene; personally, I think there is not much difference between the two. Gontier is a good Rose for outdoor planting.

Edwin Lonsdale. door planting.

Two Ferns and their Treatment.

Adiantum Farleyense.—This beautiful Maidenhair is supposed to be a subfertile, plumose form of A. tenerum, which much resembles it, especially in a young state. For decorative purposes it is almost unrivaled, whether used in pots or for trimming baskets of flowers or bouquets. It prefers a warm, moist house and delights in abundant water. We find it does best when potted firmly in a compost of two parts loam to one of peat, and with a good sprinkling of sifted coal ashes. In this compost it grows very strong, the fronds attaining a deeper green and lasting longer than when grown in peat. When the pots

and lasting longer than when grown in peat. When the pots are filled with roots give weak liquid manure occasionally. This fern is propagated by dividing the roots and potting in small pots, which should be placed in the warmest house, where they soon make fine plants. Where it is grown expressly for cut fronds the best plan is to plant it out on a bench in about six inches of soil, taking care to give it plenty of water and heat, and it will grow like a weed.

Actiniopteris radiata.—A charming little fern standing in a genus by itself. In form it resembles a miniature fan palm, growing about six inches in height. It is generally distributed throughout the East Indies. In cultivation it is generally looked upon as poor grower, but with us it grows as freely as any fern we have. We grow a lot to mix in with Orchids, as they do not crowd at all. We pot in a compost of equal parts loam and peat with a few ashes to keep it open, and grow in the warmest house, giving at all times abundance of water both at root and overhead. It grows very freely from spores, and will make good specimens in less than a year. It is an excellent Fern for small baskets.

F. Goldring.

Timely Hints About Bulbs.

SPRING flowering bulbs in-doors, such as the Dutch Hyacinths, Tulips and the many varieties of Narcissus, should now be coming rapidly into bloom. Some care is required to get well developed specimens. When first brought in from cold frames or wherever they have been stored to make roots, do not expose them either to direct sunlight or excessive heat.

A temperature of not more than fifty-five degrees at night is warm enough for the first ten days, and afterwards, if they show signs of vigorous growth and are required for any particular occasion, they may be kept ten degrees warmer. It is more important that they be not exposed to too much light

than to too much heat.

Half the short stemmed Tulips, dumpy Hyacinths and blind Narcissus we see in the green-houses and windows of amateurs are the result of excessive light when first brought into warm quarters. Where it is not possible to shade bulbs without interfering with other plants a simple and effective plan is to make funnels of paper large enough to stand inside each pot and six inches high. These may be left on the pots night and day from the time the plants are brought in until the flower spike has grown above the foliage; indeed, some of the very finest Hyacinths cannot be had in perfection without some

such treatment. Bulbous plants should never suffer for water when growing rapidly, yet on the other hand, they are easily ruined if allowed to become codder. ruined if allowed to become sodden.

When in flower a rather dry and cool temperature will

preserve them the longest.

Of bulbs which flower in the summer and fall, Gloxinias and tuberous rooted Begonias are great favorites and easily managed. For early summer a few of each should be started at once—using sandy, friable soil. Six-inch pots, well drained, are large enough for the very largest bulbs, while for smaller even three-inch pots will answer. In a green-house there is no difficulty in finding just the place to start them. It must be snug, rather shady and not too warm. They can be well cared for between in a bot held or even a window but some for, however, in a hot-bed or even a window, but some experience is necessary to make a success.

Lilies, in pots, whether *L. candidum* or *L. longiftorum* that are desired to be in flower by Easter, should now receive every attention—their condition should be that the flower buds can be easily felt in the leaf heads. A temperature of fifty-five to sixty-five at night should be maintained, giving abundance of air on bright sunny days to keep them stocky. Green fly is very troublesome at this stage, and nothing is more certain to destroy this pest than to dip the plants in tobacco water which, to be effective, should be the color of strong tea. Occasional waterings of weak liquid manure will be of considerable help 7. Thorpe. if the pots are full of roots.

Entomology.

Arsenical Poisons in the Orchard.

As is well known, about fifty per cent. of the possible apple crop in the Western States is sacrificed each year to the codling moth, except in sections where orchardists combine to apply bands of straw around the trunks. But as is equally well known this is rather a troublesome remedy. At all events, in Illinois, Professor Forbes, in a bulletin lately issued from the office of the State Entomologist of Illinois, claims that the farmers of that State suffer an annual loss from the attacks of this single kind of insect of some two and threequarters millions of dollars.

As the results of two years' experiments in spraying the trees with a solution of Paris green, only once or twice in early spring, before the young apples had drooped upon their stems, there was a saving of about seventy-five per cent. of

the apples.

The Paris green mixture consisted of three-fourths of an arrange of the extrement to contain 15.4 ounce of the powder by weight, of a strength to contain 15.4 per cent. of metallic arsenic, simply stirred up in two and a half gallons of water. The tree was thoroughly sprayed with a hand force-pump, and with the deflector spray and solid jethose nozzle, manufactured in Lowell, Mass. The fluid was thrown in a fine mist-like spray, applied until the leaves began

The trees were sprayed in May and early in June while the apples were still very small. It seems to be of little use to employ this remedy later in the season, when later broods of the moth appear, since the poison takes effect only in case it reaches the surface of the apple between the lobes of the calyx, and it can only reach this place when the apple is very small and stands upright on its stem. It should be added that spraying "after the apples have begun to hang downward is unquestionably dangerous," since even heavy winds and violent rains are not sufficient to remove the poison from the fruit at this season.

At the New York Experimental Station last year a certain number of trees were sprayed three times with Paris green with the result that sixty-nine per cent. of the apples were

saved.

It also seems that last year about half the damage that might have been done by the Plum weevil or curculio was prevented by the use of Paris green, which should be sprayed on the trees both early in the season, while the fruit is small, as well as later.

The cost of this Paris green application, when made on a large scale, with suitable apparatus, only once or twice a year, must, says Mr. Forbes, fall below an average of ten cents a tree.

The use of solutions of Paris green or of London purple in water, applied by spraying machines such as were invented and described in the reports of the national Department of Agriculture by the U.S. Entomologist and his assistants, have effected a revolution in remedies against orchard and forest insects. We expect to see them, in careful hands, tried with equal success in shrubberies, lawns and flower gardens. A. S. Packard.

The Forest.

The White Pine in Europe.

HE White Pine was among the very first American trees which came to Europe, being planted in the year 1705 by Lord Weymouth on his grounds in Chelsea. From that date, the tree has been cultivated in Europe under the name of Weymouth Pine; in some mountain districts of northern Bavaria, where it has become a real forest tree, it is called Strobe, after the Latin name Pinus After general cultivation as an ornamental tree in parks this Pine began to be used in the forests on account of its hardiness and rapid growth, and it is now not only scattered through most of the forests of Europe, but covers in Germany alone an area of some 300 acres in a dense, pure forest. Some of these are groves 120 years old, and they yield a large proportion of the seed demanded by the increasing cultivation of the tree in Europe

The White Pine has proved so valuable as a forest tree that it has partly overcome the prejudices which every foreign tree has to fight against. The tree is perfectly hardy, is not injured by long and severe freezing in winter, nor by untimely frosts in spring or autumn, which sometimes do great harm to native trees in Europe. On account of the softness of the leaves and the bark, it is much damaged by the nibbling of deer, but it heals quickly and throws up a

new leader.

The young plant can endure being partly shaded by other trees far better than any other Pine tree, and even seems to enjoy being closely surrounded, a quality that makes it valuable for filling up in young forests where the native trees, on account of their slow growth, could

not be brought up at all.

The White Pine is not so easily broken by heavy snowfall as the Scotch Pine, on account of the greater elasticity of its wood. The great abundance of soft needles falling from it every year better fits it for improving a worn-out soil than any European Pine, therefore the tree has been tried with success as a nurse for the ground in forest plantations of Oak, when the latter begin to be thinned out by nature, and grass is growing underneath them.

And finally, all observations agree that the White Pine is a faster growing tree than any native Conifer in Europe, except, perhaps, the Larch. The exact facts about that point, taken from investigations on good soil in various

parts of Germany, are as follows:

	Years.		Height.		Annual Growth Dur- ing Last Decade.			
The White Pine at	20 re	eaches	7.5 m	eters.	37	centimeters		
"	30	"	12.5	"	50	"		
"	40	"	18.5	"	60	"		
"	50	"	22.5	"	40	"		
"	60	"	26.5	"	40	"		
"	70	"	28.5	"	20	"		
"	80	"	30.0	"	15	".		
"	90	"	32.0	"	20	"		

For comparison I add here the average growth on good soil, of the Scotch Pine, one of the most valuable and widely distributed timber trees of Europe.

mi a la m	Year		Heigl	•••	Last	Growth During Decade.
The Scotch Pine a	ıt 20	reaches	7.3	meters.	36.5	centimeters
"	30	"	11.6	"	43.0	"
" "	40	"	15.7	"	41.0	"
"	50	"	19.4	"	37.0	"
"	60	"	22. I	"	27.0	"
"	70	"	24.0	"	22.0	"
"	80	"	26.0	"	17.0	
"	90	"	27.5	"	15.0	"
"	100	"	28.5	"	10.0	"
"	120	"	30.0	"	7 5	"

That is, the White Pine is ahead of its relative during its entire life and attains at 80 years a height which the Scotch Pine only reaches in 120 years. It appears then that the whole volume of wood formed within a certain period by an acre of White Pine forest is greater than that yielded by a forest of Scotch Pine within the same period.

As far as reliable researches show, a forest of White Pine when seventy years old gives an annual increment of 3 cords of wood per acre. On the same area a forest of Scotch Pine increases every year by 2.4 cords on the best soil, 2 cords on medium soil, and 1.5 cords on poor soil.

But notwithstanding the splendid qualities which distinguish the White Pine as a forest tree its wood has never been looked upon with favor in Europe. Many of those who are cultivating the White Pine for business seem to expect that they will raise a heavy and durable wood. These are the qualities prized in their own timber trees, and they seem to think that the White Pine must be so highly prized at home for the same qualities, when in fact it is the lightness and softness of the wood which are considered in America. It would seem also that some European planters believe that a Pine tree exists which will yield more and at the same time heavier wood than any other tree on the same area. It is a general rule that the amount of woody substance annually formed on the same soil does not vary in any great degree with the different kinds of trees. For instance, if we have good soil we may raise 2,200 lbs. per acre of woody substance every year, from almost any kind of timber tree. If we plant a tree forming a wood of low specific gravity, we get a large volume of wood, and this is the case with the White Pine. If we plant on the same ground an Oak tree, we will get small volume of wood, but the weight of the woody substance will be the same, that is, 2,200 pounds of absolutely dried wood per acre.

It is remarkable that there is hardly any difference in the specific gravity of the wood of the White Pine grown in Europe and in its native country. I collected in Central Wisconsin wood-sections of a tall tree and compared the specific gravity with the wood of a full-grown tree of White Pine from a Bavarian forest. The average specific gravity of the Bavarian tree was 38.3. The average specific gravity of the American tree was 38.9. In both trees the specific gravity slightly increased from the base to the top. Professor Sargent gives 38 as the result of his numerous and careful investigations

of his numerous and careful investigations.

I was much surprised that the thickness of the sap-wood varied much in favor of the Bavarian tree.

The sap-wood measured in thickness:

Of the American tree. Of the Bavarian tree. At the base 2.7 centimeters 9 centimeters. In the middle Within the crown .3

I am inclined to believe that on account of the generally drier climate of America a greater amount of water, and, therefore, of water-conducting sap-wood, is necessary to keep the balance between the evaporation and transportation of the water. The wood of the White Pine is certainly better fitted for many purposes than any tree with which nature has provided Europe, and yet one can hardly expect it to easily overcome fixed habits and prejudices. It will devolve upon the more intelligent proprietors of wood-land in Europe to begin with the plantation of the White Pine on a large scale. No Conifer in Europe can be cultivated with so little care and risk as the White Pine; the frost does not injure the young plant, and the numerous insects invading the European trees during their whole life-time inflict but little harm. Subterranean parasites are thinning out the plantations to some extent, but in no dangerous way. Tokio, Japan. H. Mayr.

Abies amabilis.--Professor John Macoun detected this species during the past summer upon many of the mountains of Vancouver's Island where with *Tsuga Pattoniana* it is common above 3,000 feet over the sea level. The northern distribution of this species as well as some other British Columbia trees is still a matter of conjecture. It has not been noticed north of the Fraser River, but it is not improbable that *Abies amabilis* will be found to extend far to the north along some of the mountain ranges of the north-west coast.

European Larch in Massachusetts.

N 1876 the Trustees of the Massachusetts Society for the Promotion of Agriculture offered Promotion of Agriculture offered a premium for the best plantations of not less than five acres of European Larch. The conditions of the competition were that not less than 2,700 trees should be planted to the acre, and that only poor, worn-out land, or that unfit for agricultural purposes, be used in these plantations.

The prize was to be awarded at the end of ten years. The committee appointed to award the prize were C. S. Sargent and John Lowell. The ten years having expired, this Committee lately made the following report:

Mr. James Lawrence, of Groton, and Mr. J. D. W. French, of North Andover, made plantations during the spring of 1877 in competition for this prize. Mr. Lawrence, however, at the end of one year withdrew from the contest, and Mr. French is the only competitor. Your Committee have visited his plantation at different times during the past ten years, and have now made their final inspection. The plantation occupies a steep slope facing the south and covered with a thin coating of gravelly loam largely mixed towards the bottom of the hill with light sand. This field in 1877 was a fair sample of much of the hillside pasture land of the eastern part of the State. It had been early cleared, no doubt, of trees, and the light surface soil practically exhausted by cultivation. It was then used as a pasture, producing nothing but the scantiest growth of native Grasses and Sedges with a few stunted Pitch Pines. Land of this character has no value for tillage, and has practically little value for pasturage. Upon five acres of this land Mr. French planted fifteen thousand European Larch. The trees were one foot high, and were set in the sod four feet apart each way, except along the boundary of the field, where the planta-tion was made somewhat thicker. The cost of the plantation, as furnished by Mr. French, has been as follows:

,000 Lar	ch (ir	npor	ted),			•			\$108 50
encing,	•				• •				20 81
ırveying,	,								6 00
abor,	•		•	• "	•	•	•	•	104 69
Total,			•						\$240 00

This, with compound interest at five per cent. for ten years, makes the entire cost to date of the plantation of five acres,

\$390.90.

The Trees for several years grew slowly and not very satisfieders and in various parts of factorily. Several lost their leaders, and in various parts of the plantation small blocks failed entirely. The trees, however, have greatly improved during the last four years, and the entire surface of the ground is now, with one or two insignificant exceptions, sufficiently covered. There appear to be from 10,000 to 12,000 larch trees now growing on the five acres. The largest tree measured is 25 feet high, with a trunk 26 inches in circumference at the ground. There are several specimens of this size at least, and it is believed that all the trees, including many which have not yet commenced to grow rapidly or which have been overcrowded and stunted by their more vigorous neighbors, will average 12 feet in height, with trunks 10 to 12 inches in circumference at the ground. Many individuals have increased over four feet in height during the present year. It is interesting to note as an indication of what Massachusetts soil of poor quality is capasolit of pool quanty is capable of producing, that various native trees have appeared spontaneously in the plantation since animals were excluded from this field. Among these are White Pines 6 to 8 feet high, Pitch Pines 14 feet high, a White Oak 15 feet high and a Gray Birch 17 feet high. The Trustees offered this prize in the belief that it would cause a plantation to be made capable of demonstration that were a plantation to be made capable of demonstration. monstrating that unproductive lands in this State could be cheaply covered with trees, and the result of Mr. French's experiment seems to be conclusive in this respect. shown that the European Larch can be grown rapidly and cheaply in this climate upon very poor soil, but it seems to us to have failed to show that this tree has advantages for general economic planting in this State which are not possessed in an equal degree by some of our native trees. Land which will produce a crop of Larch will produce in the same time at least a crop of white pine. There can be no comparison in the value of these two trees in Massachusetts. The White Pine is more easily transplanted than the Larch, it grows with equal and perhaps greater rapidity, and it produces material for which there is an assured and increasing demand. The White Pine, moreover, has so far escaped serious attacks of insects and dangerous fungoid diseases which now threaten to exterminate in different parts of Europe extensive plantations

Your Committee find that Mr. French has complied with all the requirements of the competition; they recommend that the premium of one thousand dollars be paid to him.

Answers to Correspondents.

When the woods are cut clean in Southern New Hampshire White Pine comes in very, very thickly. Is it best to thin out the growth or allow the trees to crowd and shade the feebler J. D. L. ones slowly to death?

It is better to thin such over-crowded seedlings early, if erviceable timber is wanted in the shortest time. The stateserviceable timber is wanted in the shortest time. ment that close growth is needed to produce long, clean timber, needs some limitation. No plant can develop satisfactorily without sufficient light, air and feeding room. When trees are too thickly crowded the vigor of every one is implained, and the process of establishing supremore of initialization. and the process of establishing supremacy of individuals is prolonged, to the detriment even of those which are ultimately victorious. The length is drawn out disproportionately to the diameter, and all the trees remain weak.

Experience has proved that plantations where space is given for proper growth in their earlier years, yield more and better wood than do Nature's dense sowings. Two records are added in confirmation of this statement, and many others

could be given:

1. A pine plantation of twelve acres was made, one half by sowing, the other half by planting at proper distances. In twenty-four years the first section had yielded, including the material obtained in thinnings, 1,998 cubic feet, and the latter, 3,495 cubic feet of wood. The thinnings had been made, when appearing necessary, at ten, fifteen and eighteen years in the plantal certian wielding elementary and three years. in the planted section, yielding altogether ten and three-quarter cords of round firewood and seven cords of brush; and at eight, ten and twenty years in the sowed section, with a yield of only three and one-fifth cords of round firewood at the last thinning and seven and four-fifths cords of brush wood.

2. A spruce growth seeded after thirty-three years was still so dense as to be impenetrable, with scarcely any increase, and the trees were covered with lichens. It was then thinned out when thirty-five, and again when forty-two years old. The appearance greatly improved, and the accretion in seven years after thinning showed 160 per cent. increase, or more than 26 per cent, every year.

The density of growth which will give the best results in all

directions depends upon the kind of timber and soil conditions.
Washington, D. C. -B. E. Fernow.

Book Reviews.

Gray's Elements of Botany.

FIFTY-ONE years ago, Asa Gray, then only twenty-six years of age, published a treatise on botany adapted to the use of schools and colleges. It was entitled "The Elements of Botany." Its method of arrangement was so admirably adapted to its purpose, and the treatment of all the subjects so mature and thorough, that the work served as a model for a large work which soon followed, the well known model for a large work which soon followed,—the well-known Botanical Text-book, and the same general plan has been followed in all the editions of the latter treatise. About twentyfive years after the appearance of the Elements, Dr. Gray prepared a more elementary work for the use of schools, since the Text-book had become rather too advanced and exhaustive for convenient use. This work was the "Lessons in Botany," a book which has been a great aid throughout the country, in introducing students to a knowledge of the principles of the science. Without referring to other educational works prepared by Dr. Gray, such as "How Plants Grow," etc., it suffices now to say that for two or three years, he had been convinced that there was need of a hand-book, different in essential particulars from any of its predecessors. When we retial particulars from any of its predecessors. When we remember that all of these had been very successful from an educational point of view, as well as from the more exacting one of the publishers, we can understand how strong must have been the motive which impelled the venerable but still active botanist to give a portion of his fast-flying time to the preparation of another elementary work. In answer to remonstrances from those who believed that the remnant of his days should be wholly given to the completion of the "Synoptical Flora," he was wont to say pleasantly, "Oh, I give only my evenings to the 'Elements." And, so, after a day's work, in which be hed willing a construction of the "Definition of the "Definition of the "Synoptical Flora," he was worth to say pleasantly, "Oh, I give only my evenings to the "Elements." which he had utilized every available moment of sunlight, he

would turn with the fresh alertness which has ever characterized every motion and every thought, to the preparation of what he called fondly, his "legacy" to young botanists. That precious legacy we have now before us.

In form it is much like the Lessons, but more compact and yet much more comprehensive. Its conciseness of expression is a study in itself. To give it the highest praise, it may be said to be French in its clearness and terseness. Not a word is wasted: hence, the author has been able to touch lightly and still with firmness every important line in this sketch of the principles of botany. This work, in the words of its au-thor, "is intended to ground beginners in Structural Botany "and the principles of vegetable life, mainly as concerns Flow-"ering or Phanerogamous plants, with which botanical in-"struction should always begin; also to be a companion and "interpreter to the Manuals and Floras by which the student "threads his flowery way to a clear knowledge of the sur-"rounding vegetable creation. Such a book, like a grammar, "must needs abound in technical words, which thus arrayed "may seem formidable; nevertheless, if rightly apprehended, "this treatise should teach that the study of botany is not the "learning of names and terms, but the acquisition of knowl"edge and ideas. No effort should be made to commit tech-"nical terms to memory. Any term used in describing a "plant or explaining its structure can be looked up when it is "wanted, and that should suffice. On the other hand, plans of structure, types, adaptations, and modifications, once understood, are not readily forgotten; and they give meaning and interest to the technical terms used in explaining them." The specific directions given for collecting plants, for pre-

The specific directions given for collecting plants, for preparing herbarium specimens, and for investigating the structure of plants make this treatise of great use to those who are obliged to study without a teacher. The very extensive glossary makes the work of value not only to this class of students, but to those, as well, whose pursuits are directed in our schools. The work fills, in short, the very place which Dr. Gray designed it should.

G. L. Goodale. Gray designed it should.

The Kansas Forest Trees Identified by Leaves and Fruit, by W. A. Kellerman, Ph.D., and Mrs. W. A. Kellerman (Manhattan, Kansas). This octavo pamphlet of only a dozen pages contains a convenient artificial key for the rapid determination of seventy-five species of trees. By the use of obvious characters the authors have made the work of identification compared to the compared to the second or the form paratively easy in nearly every instance, and even in the few doubtful cases, the student will not be allowed to go far astray. The little hand-book ought to be found of use even beyond the limits of the State for which it was designed. G. L. Goodale.

Public Works.

The Falls of Minnehaha.—A tract of fifty acres, beautifully located on the Mississippi, opposite the mouth of the Minnehaha, has been acquired by the City of St. Paul, and land will most probably be secured for a drive of several miles along the river. The bank here is more than 100 feet high, often precipitous, clothed with a rich growth of primeval forest, shrubbery and vines. It is hoped that Minneapolis may secure the land immediately opposite, including the Falls of Minnehaha and the valley of the stream to the great river. In this event a great park could be made between the two cities, easily reached from the best part of both, with the Mississippi flowing through it and the Falls as one of its features. This, in connection with the park so beautifully situated on Lake Como, three miles from St. Paul, and the neat parks of Minneapolis and its superbly kept system of lake shore drives, would soon be an object worthy of the civic pride of these enterprising and friendly rivals.

A Park for Wilmington, Del.—After many delays and defeats the people of this city have secured a tract of more than 100 acres, mostly of fine rocky woodland, with the classic Brandy-wine flowing through it, and all within the city limits, together with two smaller tracts, one a high wooded slope, the other lying on tide water, and both convenient to those parts of the city inhabited by workingmen and their families. A topographical survey of these park lands is now in progress as preparation for a general plan of improvement. Of the "Brandywine Glen" Mr. Frederick Law Olmsted once wrote: "It is a passage of natural scenery which, to a larger city, would be of rare value—so rare and desirable that in a number of cities several million dollars have been willingly spent to obtain results of which the best that can be said is, that they somewhat distantly approach, in character and expression, such scenery as the people of Wilmington have provided for them without expense.'

Flower Market.

Retail Prices in the Flower Market.

NEW YORK, February 23d.

There is a glut of flowers, particularly of tea roses of an indifferent quality. Bon Silene buds cost from 75 cts. to \$1 a dozen, Perle des Jardins, Niphetos, Souvenir d'un Ami, and Papa Gontiers bring \$1.50 a dozen. C. Mermets are very fine and from 30 to 35 cts. each. Not more than one in three La France roses is perfect; they bring from 25 cts. to 50 cts. each. Mde. Cuisin and Duke of Connaught are 25 cts. each, Bennets 20 cts. each and Brides 25 cts. each. American Beauties are \$1 to \$1.50 each, according to the location where they are sold. Puritans cost 75 cts. each, and Jacqueminots 50 cts. Magna Chartas are the most popular of the hybrid roses at present. They, Anna de Diesbach and Mad. Gabriel Luizet bring from \$1 to \$1.50 each.

each. Mignonette is very plentiful, well grown and of the spiral variety; it brings 75 cts. a dozen spikes retail, very large spikes bring as high as 15 cts. each. Hyacinths, Lilies-of-the-Valley and Tulips bring \$1 a dozen. Lilacs cost 25 cts. for a spray of one or two tassels. Violets are abundant, mostly of the Marie Louise variety, and bring \$2 a hundred. Fancy long stem red Carnations cost 75 cts. a dozen; short stem Carnations are 50 cts. a dozen; the dyed Carnations, named "Emerald," are in brisk demand and sell for 15 cts. each. Daffodils are \$1 a dozen; those dyed bring 20 cts. each. Finely grown Forget-me-not brought in small quantity to retail dealers sells for 10 cts. a spray. Calla Lilies bring \$2 and \$3 a dozen, and Longiflorum Lilies \$4 a dozen.

PHILADELPHIA, February 23d.

Heavy demands for flowers dropped off short on Ash Wednesday, and decreased each day until Saturday, when the regular orders for loose flowers caused the trade to pick up again. The demand for Orchids is steadily growing; a fair quantity is used at balls and parties, but nothing in comparison to Roses, Violets and Lily-of-the-Valley. Violets have been in greater demand, so far, than for several years. Large quantities of Tulips have been used recently for table decorations, especially the pink varieties, the favorite color for dinners and lunches. The American Beauty Rose, when cut with long stems, and really first class in every other respect, has been in great demand, at the best prices. Md. Gabrielle Luizet is scarce, the local growers not having commenced to cut in quantity; it is frequently asked for. Carnation plateaus in solid colors have been used freely. Lilacs are considered choice and have been in good demand. Retail prices rule as follows: Orchids, from 25 cts. to \$1 each; La France, Mermet, Bride and Bennet Roses, \$3 per dozen; Jacques, \$4 to \$5; American Beauty, \$4 to \$9; Puritan, \$4; Anna de Diesbach, \$5 to \$7.50; Papa Gontier, Sunset, Perle des Jardins and Mad. Cuisin, \$1.50; Bon Silene, \$1.00; Niphetos, \$1 to \$1.50. Lily-of-the-Valley, and Roman Hyacinths, bring \$1 per dozen; Mignonette, 50 cts., and Freesia the same per dozen; Heliotrope, Pansies, Carnations, and Forget-me-nots, 35 cts. per dozen. Violets bring from \$1 to \$1.50 per hundred; Lilium Harrisii, \$3.00 per dozen; Callas \$2 per dozen, and Lilacs \$2 per bunch of about eight sprays. Daffodils sell briskly at from \$1 to \$1.50 per dozen.

Boston, February 23d.

The season of Lent is always looked forward to by the florists with anxiety, for the rest from receptions, assemblies and balls cuts off one of the chief outlets for the choicest flowers: a few warm days are anxiety, for the rest from receptions, assemblies and balls cuts off one of the chief outlets for the choicest flowers: a few warm days are sufficient to overstock the market, and prices take a fall. Buyers are learning, however, that at no period of the year can cut flowers be had in such perfection and variety as during February and March, and although not much required for party occasions they are bought for other purposes in increasing quantities every year, so that the advent of Lent does not now produce utter stagnation in the flower trade. In Roses there is at present a large assortment offered. From the modest Bon Silene, and its new competitor, Papa Gontier, up to the magnificent American Beauty and Hybrid Perpetuals, may be found every gradation of color, size and fragrance. Retail prices vary from 75 cts. per dozen for Bon Silenes and \$1.50 to \$2 for Perles, Niphetos, etc., up to \$3 and \$4 for the best Mermets, Niels and La France; Hybrids and Jacques of best quality bring from \$6 to \$9 per dozen. In bulbous flowers a large variety is shown. Lily-of-the-Valley sells for \$1.50 per dozen sprays; Narcissus of various kinds, Hyacinths and Tulips for \$1 per dozen; Violets, 50 cts. per bunch; Pansies, Mignonette, Heliotrope, Forget-me-not and Calendulas, 50 cts. per doz. Long stemmed Carnations are to be had in great variety at 75 cts. per dozen; Callas 25 cts. each, and Smilax 50 cts. a string. At this season Smilax is at its best, being its time of flowering, and the flowers are deliciously fragrant. deliciously fragrant.

Publishers' Note.

A photogravure of Mr. A. St. Gaudens's bronze medallion of the late Professor Asa Gray will be published as a supplement to the second number of GARDEN AND FOREST.

RARE WATER LILIES Red, White, Blue, Yellow, Pink, Purple.



CHOICE AQUATIC PLANTS IN VARIETY.
The Largest and Choicest Collection in the Country.
The Sacred Lotus of India and China is hardy in the
United States; price \$2.50 to \$4.00 each. Grand New
Japanese Nelumbiums, rose-colored, \$2.00 to \$3.00 each;
white, with red stripes, \$4.00; pure white, \$5.00. THE
TRUE CAPE COD PINK WATER LILY, \$3.50 each, two
for \$6.00 Aquatics for fish-ponds. Catalogue free to
those mentioning GARDEN AND FOREST.
E. D. STURTEVANT, BORDENTOWN, NEW JERSEY.

AND

SPRING PLANTING.

We offer the largest and most complete general stock in the U. S., be fruit & Ornamental.

ROSES

ROSES

GRAPE VINES

FRING PLANTING.

We offer the largest and most complete general stock in the U. S., be suffered by the plant of the U. S., be suffered by the suffered plant of the plant of the suffered by the suffere GRAPE VINES Wholesale; No. 5, Roses, Free BARRY MT. HOPE NURSERIES, BOCHESTER, New York,

IBLEY'S TESTED SEED Catalogue free on application. Send for it. HIRAM SIBLEY & CO., ROCHESTER, N. Y., & CHICAGO, ILL.

For successful Gardening, try

S PROVEN SEED

VECETABLE SEEDS. The best and most popular sorts in England.
FLOWER SEEDS. The greatest variety offered by any house.

Descriptive Seed List free on application. Seeds and Bulbs shipped to all parts of the world.

BARR & SON, COVENT GARDEN, LONDON

GRAPE VINES, FRUIT ₹ ORNAMENTAL TREES

Rarest New.

Choicest Old.

The aim of THE STORRS & HARRISON CO, is to keep abreast of the times and supply their customers all that is new and desirable in their line; and it is conceded by all that no house in America carries a more varied and complete stock. If you want Choice Tested FLO WER and VEGETABLE SEED sure to give satisfaction, Grand Roses and Beautiful Plants, the best of Apple, Peach, Pear, Plum, Cherry, Quince, Grapes, Small Fruits, Ornamental Trees or Shrubs, for lawn, garden, park or street, do not fail to send for their Valuable CATALOGUE, containing about 140 pages and hundreds of illustrations. They are conducting business on a magnificent scale, growing a quarter of a million of Roses and millions won a reputation of which they have reason to be proud. Have 24 large Greenhouses heated with hot water and steam, and are using 700 acres of land. If you want the best at honest prices, order directly of them and save THE STORRS & HARRISON CO. LAKE CO., OHIO,

For lawn and cemetery planting. These can now be furnished in great variety, from our extensive collection, at reduced prices.
We have now on hand a large supply of the

following rare Beeches, all of which have been recently transplanted, and are in consequence abundantly furnished with fine roots:—

PURPLE-LEAVED BEECH.

From 6 to 10 feet high; elegant specimens. All were grafted from the beautiful "Rivers' variety," so justly celebrated for the intense blood-red color of its foliage.

WEEPING BEECH.

From 6 to 10 feet high, suitable for immediate effect, and well supplied with decidedly pendulous branches.

CRESTED and FERN-LEAVED BEECHES.

We offer a superb stock of these, averaging in height from 5 or 6 to 10 feet, all well rooted and nicely furnished.

In EVERGREENS

We have now in stock a large supply of American, Siberian and Golden Arbor Vitæs, Balsam Firs, Hemlocks and Norway Spruce; good, young, healthy plants, especially desirable for screens and hedges.

In SHRUBBERY

Our assortment is very complete, embracing many rare and elegant species. Our immense stock of some kinds enables us to accept orders at very low rates.

HOOPES, BRO. & THOMAS, Maple Avenue Nurseries, WEST CHESTER, PA.



REER'S CALENDAR

Jubilee Edition, 1888.

Established 1838. In celebrating our golden anniversary, we will make a present of one packet of Dreer's Golden Cluster Wax Bean to every one who mentions this paper and remits 15c, in stamps to cover cost of finest catalogue ever issued of Seeds, Plants, Bulbs, and every garden requisite, containing two colored plates and hundreds of engravings. Concise directions for cultivation. Valuations for cultivation, Valuation for cultivation, Valuation for cultivation and the collaboration of the collaboration o Jubilee Edition, 1888.

H. W. S. CLEVELAND,
LANDSCAPE GARDENER,
221 SECOND AVE. S.,
MINNEAPOLIS, MINN.

CHARLES ELIOT, Landscape Gardener 9 PARK ST., BOSTON.

GOLD MEDAL, PARIS, 1878. BAKER'S Breakfast Cocoa. Warranted absolutely pure

Cocoa. from which the excess of Oil has been removed. It has three times the strength of Cocoa mixed with Starch, Arrowroot or Sugar, and is therefore far more economical, costing less than one cent a cup. It is delicious, nourishing, strengthening, easily digested, and admirably adapted for invalids as well as for persons in health.

Sold by Grocers everywhere.

W. BAKER & CO., Dorchester, Mass.

J. LAING & SONS,

The Nurseries,

FOREST HILL, LONDON,

ENGLAND.

LEADING SPECIALTIES.

TUBEROUS BEGONIAS.

AWARDED FOUR GOLD MEDALS.

Gold Medal Collection, quite unrivaled. Tubers in a dry state can be safely transmitted from England until April.

Prices When Selection is Left to Us:

Per Doz. A Collection, Named, our best collection428. very choice selection...36s. " choice selection.....3os. D very good selection....24s. good selection.....18s. E .. F G ordinary selection128. Unnamed best selections to color..218. H very choice selection ... 18s. best whites, distinct 158. choice selection.....128. very good, selected to color for bedding.. 9s. L M good best do.per 100, 40s., 6s.

DOUBLE VARIETIES.

PRICES (OUR SELECTION): P Collection, Named, our best collection, each 7s. 6d. and ros. 6d. very choice ditto......63s. choice ditto48s. .. very good ditto428. T Unnamed our very choice, selected, distinct30s. w choice, selected in 6 colx z mixed ditto18s.

BEGONIA SEED.

Gold Medal strain from Prize Plants. New Crop. Sealed packets. Choice mixed, from single varieties, 1s. and 2s. 6d. per packet; 5s. and 10s. extra large packets; double varieties, 1s., 2s. 6d. and 5s. per packet; large packets, 1os. Collections—12 named varieties, single, separate, 5s. 6d.; 6 named varieties, separate, 3s.

CALADIUM ROOTS.

The Finest Collection in the world. Best named varieties, per doz., 30s., 36s., 42s., 48s. and 60s.

GLOXINIA ROOTS.

In dormant state till March. Our unequalled collection. Self colors, and spotted. Best sorts to name, 12s., 18s., 248., 308., 368. and 428. per doz. Unnamed, very choice, 6s., 9s. and 12s. per doz.

GLOXINIA SEED.

Saved from our Prize Plants; erect flowering, drooping, mixed and spotted, separate, per packet, 18., 28. 6d. and 5s.

OTHER FLOWER SEEDS.

The choicest strains of Primula, Cineraria, Calceolaria, Cyclamen, Hollyhock, Dahlia, Pansies, Asters, Stocks, and every other sort.

All kinds of Plants, Roses, Fruit Trees, etc., that can be imported from England, safely transmitted in War-

Remittances or London References must always accompany orders. Flower Seeds by post. Orders should reach us soon as possible.

CATALOGUES GRATIS AND POST FREE.



SCRIBNER'S MAGAZINE

MARCH CONTAINS

BLÜCHER UNHORSED AT LIGNY. Drawn by R. F. Zogbaum. Engraved by Peck-

THE CAMPAIGN OF WATERLOO. By JOHN C. ROPES. With illustrations by R. F. Zogbaum, and drawings made by W. T. Smedley, especially commissioned by this Magazine to visit the field. A strikingly original history of this greatest of military events. A concluding article, beautifully illustrated, will appear in April.

BEGGARS. The third of the series of charming essays by Robert Louis Stevenson. The New York Tribune says in referring to this series:

"The matter is of itself enough to interest every person in the least interested in literature, and the manner of it is such as to make us ask again of him for the hundredth time, as it was asked of Macaulay, 'Where did he get that style?'"

A SHELF OF OLD BOOKS.—LEIGH HUNT. By MRS. JAMES T. FIELDS. Illustrated with drawings, portraits and fac-similes. A charming account of some of the literary treasures owned by the late James T. Fields.

THE ELECTRIC MOTOR AND ITS APPLICATIONS. By FRANKLIN LEONARD POPE. With 14 illustrations. Mr. Pope describes the great advances recently made by which electricity takes the place of steam, or supplements it in so many directions.

THE NIXIE. A Fantastic Story. By Mrs. ROBERT LOUIS STEVENSON.

MENDELSSOHN'S LETTERS TO MOS-CHELES. From the MSS. in the possession of Felix Moscheles. By WILLIAM F. APTHORP. II. (Conclusion.) With portraits, reproductions of drawings, musical scores, etc.

"The letters are full of interest, especially in their frank observations on musical affairs of Mendelssohn's day."—Boston Saturday Evening Gazette.

THE DAY OF THE CYCLONE. A stirring Western story, founded on the Grinnell (Ia.) tornado. By Octave Thanet.

FIRST HARVESTS.—Chapters VII-X. By F. J. STIMSON. (To be continued.)

NATURAL SELECTION-A Novelette in Three Parts. By H. C. Bunner. (Conclusion.) With Illustrations.

POEMS. By THOMAS NELSON PAGE, C. P. CRANCH, BESSIE CHANDLER, and CHARLES EDWIN MARKHAM.

"In its one year of life Scribner's Magazine has taken not only an exalted and permanent place in periodical literature, but one that the world could in no sense spare."—Boston Traveller.

A year's subscription, consisting of twelve monthly numbers, gives more than 1,500 pages of the best, most interesting, and valuable literature. More than 700 illustrations from designs by famous artists, reproduced by the best methods.

Price, 25 cents. \$3.00 a year.

CHARLES SCRIBNER'S SONS,

743-745 Broadway, New York.

A Brilliant New Novel by the author of "The Story of Margaret Kent."

QUEEN MONEY.

1 vol., 12mo, \$1.50.

"This is the strongest story that this author has yet told. It is essentially a novel of character-painting, more even than 'Margaret Kent'or 'Sons and Daughters'. It is superior to either of these. The merits of 'Queen Money' are very great.... Interesting and valuable and remarkably true to life. It is a book to be quoted, to be thought about, to be talked about."

LOOKING BACKWARD.

2000-1887. By Edward Bellamy, author of "Miss Ludington's Sister." \$1.50.

"'The Duchess Emilia' and 'She' are not more strange than this story.

UNDER THE SOUTHERN CROSS.

By M. M. BALLOU, author of "Due North," "Edge-Tools of Speech," etc. \$1.50.

A journey, in 1887, to Australia, Tasmania, Samoa, New Zealand, and other South-Sea Islands.

For sale by all booksellers, or will be sent, post free, on receipt of price by

TICKNOR & CO., Boston.



1888.

The year 1888 promises to be a year of splendid political developments, one and all redounding to the glory and triumph of a

UNITED DEMOCRACY.

In the Front Line will be found

THE SUN,

Fresh from its magnificent victory over the combined foes of Democracy in its own State, true to its convic-tions, truthful before all else, and fearless in the cause of truth and right.

THE SUN has six, eight, twelve, and sixteen pages, as occasion requires, and is ahead of all competition in everything that makes a newspaper.

Daily, \$6 00 Daily and Sunday, 7 50 Sunday, 16 and 20 pages, 1 50 1 00 Weekly,

Address THE SUN, New York.



HE UNITED **STATES** MUTUAL ACCIDENT ASSOCIATION

is offering the very best accident insurance at cost. \$5,000 for death by accident, \$25 weekly indemnity, and liberal indemnity for loss of eye or limb. Costs \$13 to \$15 per year.

Membership Fee, \$5.

320 & 322 Broadway, New York.

Charles B. Peet, President.

> James R. Pitcher, Secretary and Gen'l Manager.

FOR SPRING PLANTING.

Rhododendrons, Azaleas,

Japanese Maples,

And all other hardy Ornamental Trees, Street Trees, Evergreens, Shrubs, Roses and Vines of selected quality, in quantity, at lowest rates; also, all the best Fruits. Priced Catalogue on application.

FRED. W. KELSEY, 208 Broadway, NEW YORK.

YOUNG & ELLIOTT'S SPECIAL COLLECTION OF SEEDS **FLOWER** CHOICE

THAT EVERYBODY CAN GROW.


For 50 CENTS in cash or postage stamps we will mail FREE to any address, one packet of each of the following beautiful annuals:—Aster; Pæony Perfection, finest doube mixed colors; Cosmos hybridus, (see cut), splendid showy plant; Chrysanthemum segetum grandiflorum; the Golden Marquerite; Calendula Prince of Orange, orange yellow, very showy; Dianthus "Eastern Queen;" beautiful new Pink; ElDorado Marigold, magnificent large flowers; Tom Thumb Nasturtium, beautiful mixed sorts, very bright and attractive; Pansy, fine mixed, everybody's favorite; Phlox Drummondi grandiflora, new large flowering; Petunia, choice striped and blotched; Poppy Danebrog, brilliant scarlet and white; Portulaca, double and single, brilliant colors; Stock Gillyflower, ten weeks, best mixed; Sweet Peas, beautiful colors in great variety; Thunbergia mixed, extremely ornamental climbers.

15 PACKETS FOR 50 CTS.

mixed, extremely ornamental climbers.

15 PACKETS FOR 50 CTS.
These are all really good things, which cannot fail to please. The seeds have been selected with great care, and are the finest or their kind. We shall be pleased also to mail a copy of our Catalogue and Garden Annual for 1888 to all buyers of the above collection, and to all others who wish to buy the choicest strains of Flower and Vegetable Seeds.

THAT EVERYBODY CAN GROW. In order to bring our choice Flower SEEDS to the notice of every lover of flowers we make the following remarkable offer.



YOUNG & ELLIOTT, Seedsmen, 54 & 56 Dey Street, NEW YORK

SOME WORKS ON NATURAL SCIENCE PUBLISHED BY HENRY HOLT & CO., NEW YORK,

•	
PACKARD'S (A. S.) WORKS.	
GUIDE TO THE STUDY OF INSECTS\$5 OUTLINES OF COMPARATIVE EMBRI-	0 0
OLOGY 2	50
Zoölogy—Advanced Course 3	OO.
Zoölogy—Briefer Course I	40
FIRST LESSONS IN ZOÖLOGY I	00
BESSEY'S (C. E.) WORKS. BOTANY—ADVANCED COURSE\$2 ESSENTIALS OF BOTANY	75 35
SEDGWICK (W. T.) AND WILSON'S (E. B.) GENERAL BIOLOGY—PART I\$2	00
ARTHUR (J. C), BARNES (C. R.) AND COULTER'S (J. PLANT DISSECTION	M.)

Gray's Botanical Text Books.

At once the most complete and the best Botanical series published,

COMPRISING:

Gray's How Plants Grow. Gray's How Plants Behave, Gray's Lessons in Botany, Gray's Field, Forest and Garden

Gray's School and Field Botany, Apgar's Plant Analysis, Gray's Manual of Botany, Gray's Lessons and Manual, Gray's Structural Botany, Goodale's Physiological Botany, Gray's Structural and Systematic Botany.

Coulter's Manual of the Rocky Mountains.

The same, Tourist's Edition, Gray and Coulter's Manual of Western Botany,

Gray's Synoptical Flora -- The Gamopetalæ.

Chapman's Flora of Southern U.S.

Send for our new descriptive pamphlet of Gray's Botanies, containing PORTRAIT AND BIO-GRAPHICAL SKETCH of the Author,

Books for Introduction or examination furnished on very favorable terms.

IVISON, BLAKEMAN & CO.,

753-755 Broadway, New York,

149 Wabash Ave., Chicago.

A Few Flowers Worthy of General Culture.



pany of patrons this, the fifth edition of our book, our dominant feeling is one of extreme pleasure at the generous welcome given our preceding efforts. And we offer this edition in the belief and hope that it may suggest ideas that may be of use, and that may be practically carried out in the making of gardens that must be a source of delight.

The wide-spread desire for better and more artistic gardening is evidenced by the articles recently published on the subject by the foremost and ablest magazines. An excellent article on "Old Garden Plants," in Harper's Monthly for

December, 1887, encourages us greatly in our efforts to popularize the Hardy Flowers so loved by our grandmothers, together with many fine plants of more recent introduction.

As we were the first in this country to gather a fine collection of Hardy Plants from ail quarters of the earth, and to offer them when there was but small demand for such, we are pleased indeed that so much attention is now being given to them, feeling that our efforts in behalf of the almost forgotten hardy plants, will tend to the creation of gardens more permanent and beautiful, and at much smaller outlay than any that can be made with tender plants.

The fifth edition of our book is now ready. It is the largest and best work on hardy plants published in this country, and contains many finely illustrated articles, among which are, "A Talk about Roses;" "Hardy Plants and Modes of Arranging Them;" "The Making of the Hardy Border;" "Some Beauties in their Native Wilds;" "Rhododendrons, Kalmias and Hardy Azaleas;" "Hardy Aquatic Plants;" "Tropical Garden Effects with Hardy Plants;" "A Garden Party;" etc., etc.

The book is finely printed on the best of paper, is of real merit and rare beauty, and will be sent post-paid, bound in durable flexible covers for 50 cents, or in leather for 75 cents, but the price paid will be allowed on the first order for plants, making the book really free to our customers.

Our descriptive catalogue, containing a complete descriptive list of the best and largest collection of Hardy Plants in America, sent on receipt of 10 cents in stamps.

Our special list of valuable, low-priced, well-grown plants mailed upon application.

B. A. ELLIOTT CO., No. 56 Sixth Street, Pittsburgh, Pa.

Is the most elegant ever issued. Illustrated with 10 colored plates, stipple-litho, covers and hundreds of fine engravings. Initis offered a great variety of Flower and Vegetable Seeds, Bulbs and Plants of all sorts, New Fruits and Rare Tropical Fruits suitable for potculture, such as dwarf Oranges, Pine Apples, Bananas, Figs, Guavas, Sugar Apple, &c. This elegant and Expensive Catalogue will be sent for only 10cts., which is only a part of its cost to us. Or if you order a packet of Palm seed or anything here offered and ask for Catalogue, it will be sent free. Special Offer. For 50 cts, we will send Palm, Pansy, and order we will add an elegant Seed or Bulb novelty free. Address,

New Seeds, Bulbs, Plants, Fruits,—Rare Tropical Fruits.

GRAND PALMS FROM SEED.

E are now able to offer for the first time, both seed and plants of that King of Ornamental plants, the new FILIFERA PALM. Stately and beautiful beyond description, it is the finestaddition that can be made to any collection of plants, and can be grown in any window or garden aseasy as a geranium. It is of a compact growth with elegant large leaves, from which hang long thread-like filiments, giving the plant a most odd and beautiful appearance. In fact there is nothing like it in cultivation and good specimens sell for enormous prices. Plants are easily raised as the seed are large, germinate quick and grow rapidly. Per packet 26-ts. 5 for \$1.00. Year old plants 40 cts, each, 3 for \$1.00, 7 for \$2.00 by mail postpaid. Will also mail 3 Storm King Fuchsias for 50cts., 12 Excelsior Pean't Tuberoses for 85cts., 12 Choice Mixed Gladiolus for 30cts. Our Giant Excelsior Pansles, best in the world, 20cts. per packet. New Primrose Verbena, yellow, a sterling novelty, 25cts, per packet. True Pygmae Aster, 50cts. per packet.

Our Seed Catalogue for 1888

Our Seed Catalogue for 1888

JOHN LEWIS CHILDS, FLORAL PARK, Queens Co., N. Y.

Our catalogue for Spring of 1888, contains a select list of New and Old Chrysanthemums, including:

"MRS. ALPHEUS HARDY,"

the beautiful variety figured in this paper.
Also a collection of Fine Flowering Cannas

EDWIN FEWKES & SON, NEWTON HIGHLANDS, MASS.



A REAL BONANZA IN SEEDS.—Being of

Williams, 50 vars. mixed. Am sure a trial will prove all claims Catalogue free. L. W. GOODELL, Pansy Park, Dwight P. O.

he Popular Science Monthly,

Edited by W. J. YOUMANS,

Is filled with scientific articles by well-known writers on subjects of popular and practical Its range of topics, which is widening with the advance of science, comprise

Domestic and Social Economy.

Political Science, or the Functions of Government. Psychology and Education.

Relations of Science and Religion.

Conditions of Health and Prevention of Disease.

Art and Architecture in Practical Life. Race Development.

Agriculture and Food-Products. Natural History; Exploration; Discovery, etc.

It contains Illustrated Articles, Portraits, Biographical Sketches; records the advance made in every branch of science; is not technical; and is intended for non-scientific as well as

No magazine in the world contains papers of a more instructive and at the same time of a more interesting character.

Single number, 50 cents.

Yearly subscription, \$5.00.

D. APPLETON & CO., Publishers, New York.

POINTS TO ADVERTISERS.

Nothing is sold without pushing, unless it has a monopoly.

No two articles can be pushed in exactly the same way. In advertising you want to reach possible customers, not merely people.

The best mediums for one line of goods may be the worst for another.

Advertising should not be visionary, it should not be attended to as a mere pastime.

Success means thought, the day of chance successes is nearly over.

It costs no more to publish good matter than it does poor.

poor.
The preparation of an advertisement is as important as the publishing.
An advertiser needs an agent, as a client does a lawyer.
The agent, however, asks no retainer and saves his

The agent, however, asks no retainer and saves his customer money.

A merchant cannot study advertising all the time—a good agent studies nothing else.

The customer's interests are the agent's. If the agent is to succeed, the business done must be successful. The undersigned want business, but not badly enough to handle what is "questionable."

They are honest and capable, their customers say, and they give close personal attention to their business.

HERBERT BOOTH KING & BROTHER, ADVERTISING AGENTS,

202 Broadway, N. Y.

(Copyright, 1887.)

Send for Circulars.

A VALUABLE WORK UPON

AMERICAN TREES,

Which should be in every Library in the United States.

Fourth Edition, Just Ready. Price Reduced.

EMERSON'S TREES AND SHRUBS.

EMERSON'S TREES AND SHRUBS.

THE TREES AND SHRUBS GROWING NATURally in the Forests of Massachusetts. By George B. Emerson. Fourth Edition. Superbly illustrated with nearly 150 plates (46 beautiful heliotypes and 102 lithographs), 2 vols. 8vo. Cloth. Price, \$10.00 net; formerly \$12.00 net.

THE SAME, with 36 of the plates beautifully colored. Price, \$16.00 net; formerly \$20.00 net.

Though this work nominally treats of the trees and shrubs of Massachusetts, it is equally applicable to the flora of many other States; indeed all New England and a greater part of the Middle States. In it is described every important tree or shrub that grows naturally in Massachusetts, and in other States of the same latitude, the descriptions being the result of careful personal observation. It is, indeed, a comprehensive and convenient manual for almost every section of the Union.

The illustrations of these volumes constitute one of their most important and attractive features. A large number of the plates are by the eminent authority on this subject, Isaac Sprague.

Volume I. treats of the Pines, Oaks, Beeches, Chestnuts, Hazels, Hornbeams, Walnuts, Hickories, Birches, Alders, Plane Trees, Poplars, and Willows.

Volume II. treats of the Sims, Ashes, Locusts, Maples, Lindens, Magnolias, Liriodendrons, and the shrubs.

LITTLE, BROWN, AND COMPANY, Publishers,

254 WASHINGTON STREET, BOSTON.

HOUGHTON MIFFLIN & CO'S

Beautiful New Books.

BIOGRAPHY.

Memoir of Ralph Waldo Emerson.

By James Elliot Cabot. With a fine new steel Portrait. 2 vols. 12mo, gilt top, \$3.50.

Henry Clay.

Vols. XV. and XVI. in series of American Statesmen. By CARL SCHURZ. 2 vols. 16mo, gilt top, \$2.50; half morocco, \$5.00.

Patrick Henry.

Vol. XVII. of American Statesmen. By Moses COIT TYLER. 16mo, gilt top, \$1.25.

Benjamin Franklin.

Vol. X. of American Men of Letters. By JOHN BACH MCMASTER, author of "A History of the People of the United States." With a steel Portrait. 16mo, gilt top, \$1.25.

NOVELS AND SHORT STORIES.

The Second Son.

By Mrs. M. O. W. OLIPHANT and THOMAS BAILEY ALDRICH. 12mo, \$1.50.

The Gates Between.

By ELIZABETH STUART PHELPS, author of "The Gates Ajar," "Beyond the Gates," etc. \$1.25.

Paul Patoff.

By F. Marion Crawford, author of "A Roman Singer," etc. Crown 8vo, \$1.50.

Jack the Fisherman.

A powerful and pathetic temperance story. By ELIZABETH STUART PHELPS. 50 cents.

Knitters in the Sun.

A book of excellent Short Stories. By OCTAVE THANET. 16mo, \$1.25.

A Princess of Java.

A novel of life, character and customs in Java. By Mrs. S. J. Higginson. 12mo, \$1.50.

The Story of Keedon Bluffs.

By Charles Egbert Craddock. A story for Young Folks, and Older Ones. \$1.00.

A New Book by Bret Harte.
"A Phyllis of the Sierras," and "A Drift from Redwood Camp." \$1.00.

* * For sale by all Booksellers. Sent by mail, post-paid, on receipt of price by the Publishers,

HOUGHTON, MIFFLIN & CO., Boston. II EAST 17TH STREET, NEW YORK.

Nurseries, Cambridge, Mass. Shady Hill THE SOURCE OF NOVELTIES IN ORNAMENTALS!

The New TREE LILAC (Syringa Japonica) was first grown commercially, and first sold from Shady Hill Nurseries.

The Beautiful WEEPING LILAC (Syringa Ligustrina Pekinensis Pendula), called by Mr. Samuel B. Parsons, at the American Pomological Convention, at Boston (where it was first exhibited and received a first-class Certificate of Merit from the Mass. Hort. Society), "the most beautiful of all our small Weeping Trees." This also will be sent out in the autumn of this year.

Here also is grown, in large numbers, the lovely little flowering tree, called the "TEA ROSE CRAB," the most exquisite of all our flowering trees. Ten thousand of this tree have been ordered by Messrs. V. H. Hallock & Son.

Here originated the Hardy Perennial Gaillardia (G. Aristata Templeana of Peter Henderson's new catalogue), the most showy and only hardy Gaillardia of this latitude.

only hardy Gaillardia of this latitude.

A full descriptive catalogue, of all the things grown at Shady Hill, will be issued in February, fully illustrated with engravings and containing four full page lithographs, in eight colors, of the four new trees, viz.: "Tea Rose Crab," Tree Lilac, Weeping Lilac, and the Fastigiate Maiden Hair Tree. This will be sent free to all who will send address.

F. L. TEMPLE, Cambridge, Mass.

JOHN SAUL'S WASHINGTON NURSERIES.

Our Catalogue of new, rare and beautiful Plants for 1888 will be ready in February. It contains list of all the most beautiful and rare Green-house and Hot-house Plants in cultivation, as well as all novelties of merit. Well grown and at very low prices. Every Plant lover should have a copy.

ORCHIDS.—A very large stock of choice East Indian, American, etc. Also, Catalogues of Roses, Orchids, Seeds, Trees, etc. All free.

JOHN SAUL, Washington, D. C.

WESTERN N. C. ORNAMENTAL SHRUBS AND TREES.
Descriptive Price List sent on application. Detailed description of the new Rhodendron Vaseyi, with each List. Azalea arborescens is one of our specialties. Correspondence solicited.
KELSEY BROS., HIGHLANDS NURSERY, Highlands, N. C.

ARDENERS.—Thorough, practical man, wants situation to take charge of a good private place or institution; 19 years' experience in Europe and U. S.; English, age 35, married, one of family; first-class reference. Address J. S., care H. A. Dreer, 714 Chestnut St., Philadelphia, Pa.

GOLD STRAWBERRY, a New Berry of very fine quality, now offered for the first time. Also, JEWELL, JESSIE, BELMONT, and other varieties. Address, P. M. Augur & Sons, Originators, MIDDLEFIELD, CONN.

NEW PLANTS. Our illustrated Floral Catalogue of new, rare and beautiful Plants, Orchids, Palms, Roses, Bulbs, Vines, Trees, Shrubs and Seeds, also, all the Novelties of the season, Now READY. Every lover of plants should have a copy. *Prices low*. Send for it; FREE to all. PAUL BUTZ & SON, New Castle, Pa.



OU are about to write for a catalogue. No doubt you want the best—the truest descriptions, the clearest notes on plant culture, plainest type and most beautiful illustrations. We have put forth every effort to make ours such. Those who have seen it, sav it is. It tells many reasons why you can buy SEEDS and Plants—so many of which are grown on the Western prairies—better and cheaper at CHICAGO than you can elsewhere. Then why not do so? Our Chicago Parks Flowers and Plants; our Market Vegetables, and our Gardening Implements make up a book that

TELLS THE WHOLE STORY, which will please you. Send 15 cents and receive the and is a work of art which will please you. catalogue and a paper of the above seeds free.

J. C. VAUGHAN, CHICAGO.



MEEHAN'S NURSERIES.

Though with the usual assortment of Fruits and Flowers found in all leading Nurseries, we pay especial attention to Ornamental Trees. We have nearly fifty acres of these alone, and well on to a thousand varieties.

JAPAN MAPLES . and . JAPAN SNOWBALL

-A SPECIALTY.-

SEND SIX CENTS IN STAMPS FOR DESCRIPTIVE CATALOGUE.

THOMAS MEEHAN & SON,

Germantown, Philadelphia, Pa.

ORCHIDS Palms and Fine Tropical Plants.

We have the most complete collection of fine plants in the country.

Descriptions of specimens and a general catalogue of stock can be had on application either at

409 5th Avenue, New York City, OR AT THE

ROSE HILL NURSERIES, NEW ROCHELLE, N. Y.

SIEBRECHT & WADLEY.

THE VERY CREAM. WARRANTED TRUE TO NAME

Healthy, vigorous plants in the finest possi-

Send for my little book, free, containing all particulars.

T. H. SPAULDING. WEST ORANGE, N. J.



Parry, Lida and Bomba Strawberries, Malrhoro and Golden Queen Raspberries, Wilson Jr., Erie and Minnewaski Blackberries, Niagara, Empire State and Moore's Early Grapes, Lawson, Kieffer and LeConte Pears, Wonderful and Globe Peach, Spauld ing and Japan Plums, Delaware Winter and Red Cider Apples. All the worthy old and promising new varieties. Catalogue Free.

WM. PARRY, PARRY, N. J.

FARQUHARS' SEEDS BOSTON

Cultivators who want the CHOICEST Flowers and Vegetables, please write for our new Catalogue. It describes many rare and choice specialties of great merit, offered only by us, at very moderate prices. Our business is among the best horticulturists in America, and the quality of our seeds is unsurpassed. Catalogues (in elegant steel-blue and gold cover, with fine color work) FREE TO ALL.

The following are specially fine. Postage Free.

Primula obconica, pkt. 40c.; Turner's Carnations, pkt. 50c.; Cineraria hybrida, new large -flowering, pkt. 50c.; Cyclamen, new large flowering, mixed colors, pkt. 50c.; Gloxinia, new large upright flowering, pkt. 50c.; Pansy, Farquhar's Show flowers, mixed, pkt. of 100 seeds, 25c.; Sweet Peas, Kent-grown, superior oall, mixed colors, ounce, 10c., pound, \$1.00; Nasturtiums, Running, Kent-grown, mixed, extra fine, ounce, 15c., pound, \$1.75.

PINK POND LILY ROOTS (Nymphea odorata rosea). New, hardy; the finest hardy aquatic. Strong roots, \$2.50 each, postage paid.

R. & J. FARQUHAR & CO., Importers, Growers and Dealers in

Reliable Seeds, Bulbs, Etc. 16 & 19 So. Market St., Boston, Mass.

THE NEW MODEL

LATEST AND BEST MOWER.

For Simplicity, durability, and qualityofwork it is unequaled, while for Lightness of draft it excels, by a large per-centage, any other Lawn Mower made.

CHADBORN & COLDWELL MANUF'G CO. NEWBURGH, N.Y.

TRIED BY TIME.



RACTICAL people are well pleased with the recent development in horticultural journalism by which

the young AMERICAN GARDEN absorbed the old Gardener's Monthly, which included the Horticulturist, started by Andrew Jackson Downing, over forty-two years ago.

I told our local society just what I really think the other day, that you come the nearest my ideal of a Horticultural Monthly for popular circulation of any of the makers of such literature.—Chas. W. Garfield, Secy Michigan Horticultural Society.

The magazine is now clearly the best horticultural publication in America, and soon I trust I can say the best extant.—Dr. E. Lewis Sturtevant.

As much as I regret the melting away of that old landmark, the Gardene's Monthly, of which I was a reader since 1861, as glad I feel that the transfer has been made into good hands.—R. Mattre, Florist, New Orleans.

Orleans.

I have been a subscriber to the Gardener's Monthly from its first number. I feel sorry that the journal is going away from Philadelphia, but am glad it has gone into such good hands.—Chas. H. Miller, Landscape Gardener, Fairmount Park.

Indispensable to the fruit growers, horticulturists, gardeners and florists (both practical and amateur) of this country.—Cyrus T. Fox, State Pomologist of Pennsylvania.

sylvania.

It is a lamentable failing of horticultural educators in making the work intricate and apparently hard of execution. Your new cover is in perfect accord with the contents, viz.: It expresses and teaches horticulture pure and simple.—Geo. R. KNAPP, Rahway, N. Y.

Adapted to the wants of Amateurs, Country Dwellers, Practical Gardeners and Fruit Growers. THE AMERICAN GARDEN has stood the test of Time, the great leveler, and receives the endorsements and support of all these classes in every section and many lands.

The equal in cost and value of many \$2 and \$3 publications, this handsome and practical illustrated magazine of horticulture costs only \$1.00 a year. In Club with Garden and Forest for \$4.50. Address:

E. H. LIBBY, Publisher, 751 Broadway, N.Y.

The American Florist,

A SEMI-MONTHLY JOURNAL

For florists, and all who grow plants or flowers under glass. It prints nothing but hard common-sense matter, the experience of practical men who have been there themselves and know what they are talking about.

Liberally Illustrated. Price, \$1.00 a Year of 24 Numbers. SAMPLE COPY 6 CENTS IN STAMPS.

54 La Salle St., Chicago. American Florist Co.,

FOREST TREES.



Catalpa speciosa,
White Ash, European
Larch, Pines, Spruces,
Arbor Vitæs, etc., etc.
Catalpa speciosa Seed.
Forest and Evergreen
Seeds,
Picea pungens, and
Pseudotsuga Douglasii
of Colorado. Two of
the finest and hardiest
Conifers in cultivation.

R. DOUGLAS & SONS, -

Waukegan, III.



EXOCHORDA GRANDIFLORA, RED FLOWERING DOGWOOD, EUONYMUS LATIFOLIUS. WEEPING DOGWOOD, BERBERIS THUNBERGII, WEEPING BEECH, MAGNOLIAS, GOLDEN SYRINGO, PURPLE BEECH, JAPAN QUINCE, NEW CONIFERS, CHINESE CYPRESS, HYDRANGEAS, YELLOW WOOD, JAPANESE MAPLES, SPIREAS JAPAN GINGKO GOLDEN GOLDEN ✓ JAPANESE UMBRELLA AND SUNRAY PINES

✓ ALDER. OAK.

New and Rare Trees and Shrubs,

RHODODENDRONS, YEWS. FRUIT JUNIPERS. TREES, CHINESE AZALEAS, HEMLOCKS, SMALL FRUITS ARBOR VITÆ, TREE PÆONIES, HARDY AZALEAS, RETINOSPORAS, ROSES IN VARIETY, CAMELLIAS. DWARF, BLUE, CONICAL, AMERICAN HOLLY, HERBACEOUS PÆONIES, WEEPING AND OTHER SPRUCES, ASSORTMENT OF PINES. SHADE TREES & HEDGE PLANTS.

Plans Made, Estimates Furnished, Grounds Laid Out, Catalogues on Application.

PARSONS & SONS COMPANY, Limited,

Kissena Nurseries,

ESTABLISHED 1839.

FOR THE



superb illustrations of everything that is new, useful and rare in Seeds and Plants, together with plain directions of "How to grow them," by PETER HENDERSON. This Manual, which is a book of 140 pages, we mail to any address on receipt of 25 cents (in stamps.) To all so remitting 25 cents for the Manual, we will, at the same time, send free by mail, in addition, their choice of any one of the following novelties, the price of either of which is 25 cents: One packet of the new Gracen and Gald Watermelon, or one Green and Gold Watermelon, or one Green and Gold Watermelon, or one packet of new Succession Cabbage, or one packet of new Zebra Zinnia, or one packet of Butterfly Pansy (see illustration), or one packet of new Mammoth Verbena, or one plant of the beautiful Moonflower, on the distinct understanding, however, that those ordering will state in what paper they saw this advertisement.

FLUSHING, N. Y.

NDERSON 35 & 37 Cortlandt St. NEW YORK.

ARDEN.FIELD FLOWER SEEDS, TAND BOOK PLANTS, BULBS. Our large and profusely illustrated. Catalogue for 1888 has been made still unore attractive by the addition of a richely illuminated cover, a beautiful colored plate, and aumerous life-like illustrations of rare and beautiful flowers and choice vegables, including many novelties of rare merit, will be mailed free to customers of last year, and to all others, upon receipt of Ten Cents, in each packet of "Rawson's Choice Mixed Panys Seed," or a 25-cent packet of "Rawson's New Early (abhage Panys Seed," or a 25-cent packet of Bayson's New Early (abhage Panys Seed," or a 25-cent packet of Bayson's New Early (abhage panys Seed," or a 25-cent packet of Bayson's New Early (abhage panys Seed," or a 25-cent packet of Bayson's New Early (abhage panys Seed," or a 25-cent packet of Bayson's New Early (abhage panys Seed," or a 25-cent packet of Bayson's New Early (abhage panys Seed," or a 25-cent packet of Bayson's New Early (abhage panys Seed," or a 25-cent packet of Bayson's New Early (abhage panys Seed," or a 25-cent packet of Bayson's New Early (abhage panys Seed," or a 25-cent packet of Bayson's New Early (abhage panys Seed," or a 25-cent packet of Bayson's New Early (abhage panys Seed," or a 25-cent packet of Bayson's New Early (abhage panys Seed," or a 25-cent packet of Bayson's New Early (abhage panys) (abhage pa

W. W. RAWSON & CO.

34 South Market Street, Boston, Mass. IMPORTERS AND GROWERS OF

GARDEN, FIELD & FLOWER SEEDS Successors to B. K. BLISS & SONS, formerly of New York.

BOTANY CLASSES furnished with fresh plants and flowers from the Southern Mountains, including all the AZALEAS and RHODODENDRONS found east of the Rockies. I can furnish Rhododendron Vaseyi and Shortii galacifolia, and other rare plants. Order Shortii early, as it blooms in March and April.

T. G. HARBISON,
Principal of Highlands Academy, Highlands, N. C.

Seeds, Seeds, Seeds.

To our friends who have not already received it, we are ready to mail our

NEW CATALOGUE

HIGH CLASS SEEDS

FOR 1888,

Containing all the Novelties of the Season, both in VEGETABLE. FLOWER and TREE Seeds.

J. M. Thorburn & Co., 15 JOHN STREET,

NEW YORK.